

Ahsay Online Backup Manager v7

Quick Start Guide for Linux (CLI)

Ahsay Systems Corporation Limited

9 August 2019

Copyright Notice

© 2019 Ahsay Systems Corporation Limited. All rights reserved.

The use and copying of this product is subject to a license agreement. Any other use is prohibited. No part of this publication may be reproduced, transmitted, transcribed, stored in a retrieval system or translated into any language in any form by any means without prior written consent of Ahsay Systems Corporation Limited. Information in this manual is subject to change without notice and does not represent a commitment on the part of the vendor, Ahsay Systems Corporation Limited does not warrant that this document is error free. If you find any errors in this document, please report to Ahsay Systems Corporation Limited in writing.

This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>).

Trademarks

Ahsay, Ahsay Cloud Backup Suite, Ahsay Online Backup Suite, Ahsay Offsite Backup Server, Ahsay Online Backup Manager, Ahsay A-Click Backup, Ahsay Replication Server, Ahsay BackupBox Firmware, Ahsay Universal Backup System, Ahsay NAS Client Utility are trademarks of Ahsay Systems Corporation Limited.

Amazon S3 is registered trademark of Amazon Web Services, Inc. or its affiliates.

Apple and Mac OS X are registered trademarks of Apple Computer, Inc.

Dropbox is registered trademark of Dropbox Inc.

Google Cloud Storage and Google Drive are registered trademarks of Google Inc.

Lotus, Domino, Notes are registered trademark of IBM Corporation.

Microsoft, Windows, Microsoft Exchange Server, Microsoft SQL Server, Microsoft Hyper-V, Microsoft Azure, One Drive and One Drive for Business are registered trademarks of Microsoft Corporation.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Oracle, Oracle 10g, Oracle 11g and MySQL are registered trademarks of Oracle Corporation.

Rackspace and OpenStack are registered trademarks of Rackspace US, Inc.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo and JBoss are registered trademarks of Red Hat, Inc. www.redhat.com in the U.S. and other countries. Linux is a registered trademark of Linus Torvalds.

ShadowProtect is registered trademark of StorageCraft Technology Corporation.

VMware, ESX, ESXi, vCenter are registered trademarks of VMware, Inc.

All other product names are registered trademarks of their respective owners.

Disclaimer

Ahsay Systems Corporation Limited will not have or accept any liability, obligation or responsibility whatsoever for any loss, destruction or damage (including without limitation consequential loss, destruction or damage) however arising from or in respect of any use or misuse of reliance on this document. By reading and following the instructions in this document, you agree to accept unconditionally the terms of this Disclaimer and as they may be revised and/or amended from time to time by Ahsay Systems Corporation Limited without prior notice to you.

Revision History

Date	Descriptions	Type of modification
9 Mar 2018	Updated Ch. 3.1.2, 7	Modification
23 May 2018	Updated Ch. 1.2	Modification
5 June 2018	Modified AhsayCBS Destination Settings for Appendix A, B, C	Modification
17 July 2018	Added using AhsayCBS to create a file backup set for Ch. 5	New
3 September 2018	Updated screenshot in Ch. 5.1	Modification
7 August 2019	Added instructions on how to change ownership of backup set in Appendix H	New

Table of Contents

1	System Requirements	1
1.1	Supported Platforms	1
1.2	Linux Packages	1
2	Getting started	2
3	Download and Install AhsayOBM.....	3
3.1	Online Installation.....	4
3.1.1	rpm	4
3.1.2	sh.....	6
3.1.3	dpkg (Ubuntu).....	8
3.2	Offline Installation.....	10
3.3	AhsayOBM Scheduler Service Check	12
3.4	RunLevel Symlink Check	12
4	Starting AhsayOBM.....	13
5	Creating a File Backup Set.....	14
5.1	Using AhsayCBS.....	14
5.2	Using ssh	28
6	Overview on the Backup Process	32
7	Running Backup Jobs	33
8	Restoring Data	35
9	Technical Assistance.....	40
10	Documentation	41
	Appendix	42
Appendix A	File Backup Set XML Template (Raw)	42
Appendix B	File Backup Set XML Template (with explanation)	49
Appendix C	Example File Backup Set Setting.....	59
Appendix D	Uninstall AhsayOBM (rpm).....	61
Appendix E	Uninstall AhsayOBM (sh)	62
Appendix F	Uninstall AhsayOBM (dpkg)	63
Appendix G	Handling of Non-regular Files	64
Appendix H	How to Change Ownership of a Backup Set.....	65

1 System Requirements

1.1 Supported Platforms

Refer to the following KB article for the list of supported operating systems:

FAQ: Ahsay Software Compatibility List (SCL) for version 7.3 or above (5001)

<http://wiki.ahsay.com/doku.php?id=public:5001>

1.2 Linux Packages

The following packages have to be present on the Linux machine in order for AhsayOBM version 7 to be installed.

- curl <https://curl.haxx.se>

The 'curl' command is used by both the AhsayOBM sh script and rpm installer to download components from AhsayCBS server during the installation process.

- tar <https://www.gnu.org/software/tar>

The 'tar' command is used by both the AhsayOBM sh script, gz, and rpm installer to uncompress and extract installation files or components downloaded from the AhsayCBS backup server onto the Linux machine.

- rpm <http://rpm.org>

The 'rpm' package must be installed to use the AhsayOBM rpm installation method.

- dpkg <https://packages.ubuntu.com/trusty/dpkg>

The 'dpkg' package must be installed to use the AhsayOBM deb installation method on Ubuntu LTS Linux platforms supported from version 7.15.0.0 or above.

- psmisc <http://psmisc.sourceforge.net/>

The 'psmisc' package which contains the 'fuser' components must be installed for AhsayOBM on CentOS / Red Hat Enterprise Linux (RHEL), for the auto update agent (AUA) process to work properly.

2 Getting started

This quick start guide will walk you through the following 5 major parts to get you started with using AhsayOBM.

Download and Install

Download and Install AhsayOBM on your Linux machine

Launch AhsayOBM

Launch and log in to AhsayOBM

Create File Backup Set

Create backup set according to your preferences

Run Backup Jobs

Run the backup job to back up data

Restore Data

Restore backed up data to your system

3 Download and Install AhsayOBM

From v7.15.0.0 or above Ubuntu Linux LTS distributions are officially supported. AhsayOBM can be installed from a *.deb package using dpkg for online installation or from *.sh package for both online and offline installation.


From version 7.15.0.0 onwards, there are two installation modes of AhsayOBM, online installation and offline installation. Below is the table of comparison between online installation and offline installation.

	Online Installation	Offline Installation
Version Supported	➤ From v7.3.2.0 onwards.	➤ From v7.15.0.0 onwards.
Installation Time	<ul style="list-style-type: none">➤ Takes more time as it needs to download the binary and component files (80MB to 132MB depending on operating system) each time the installation is run.➤ Online installer size is 6KB to 3.5MB depending on operating system as it contains only the initial installation package files.	<ul style="list-style-type: none">➤ Takes less time as all the necessary binary and component files are already available in the offline installer and offline installer can be downloaded once but reused many times.➤ Offline installer size is 80MB to 132MB depending on operating system as it contains all the necessary binary and component files.
Deployments	<ul style="list-style-type: none">➤ Suitable for single or small amount of device installations.➤ Suitable for sites with fast and stable internet connection as internet connection is needed each time when an installation is run.➤ A slow internet connection will result in longer installation time and interrupted or unstable internet connection may lead to unsuccessful installation.➤ Ensures the latest version of the product is installed.	<ul style="list-style-type: none">➤ Suitable for multiple or mass device installations.➤ Suitable for client sites with metered internet connections as once the offline installer is downloaded, internet connection is not needed each time when an installation is run.➤ May need to update the product version after installation if an older offline installer is used.

3.1 Online Installation

3.1.1 rpm

1. Login to the Linux machine via a ssh client using the root account.



2. To download the AhsayOBM rpm installation package file from your backup service provider's website:



3. Go to the download page and right click on **Download (rpm) (Online)** button to copy the URL of the AhsayOBM installer.



4. Use the curl command to download the AhsayOBM installer from your backup service provider's website onto the Linux machine.

```
# curl -Ok https://10.120.10.12/cbs/download/obm-linux-noarch-443-10.120.10.12-https.rpm
% Total      % Received % Xferd  Average Speed   Time    Time
Time Current                        Dload  Upload   Total   Spent
Left  Speed
100  7719  100  7719    0     0   4377      0  0:00:01  0:00:01
--:--:--  4726
```

5. Run the **rpm** command to install AhsayOBM.

```
# rpm -i obm-linux-noarch-443-10.120.10.12-https.rpm
Start install obm
Log Time: Fri May 27 16:23:04 HKT 2016
Downloading package jre-std-linux-x86-586.tar.gz...
% Total      % Received % Xferd  Average Speed   Time    Time
Time Current                        Dload  Upload   Total   Spent
Left  Speed
```

```

100 45.1M 100 45.1M 0 0 21.8M 0 0:00:02 0:00:02
--:--:-- 23.4M
Download completed
.
.
Downloading package aua-inst-nix-obm.tar.gz...
% Total % Received % Xferd Average Speed Time Time
Time Current Dload Upload Total Spent
Left Speed
100 27801 100 27801 0 0 278k 0 --:--:-- --:--:--
--:--:-- 565k
Download completed
No old application found, begin fresh install
Untar component file : /usr/local/obm/_components/app-
common.tar.gz
Untar component file : /usr/local/obm/_components/app-inst-nix-
obm.tar.gz
Untar component file : /usr/local/obm/_components/app-native-
nix-x86.tar.gz
Untar component file : /usr/local/obm/_components/app-nix-
obm.tar.gz
Untar component file : /usr/local/obm/_components/aua-
common.tar.gz
Untar component file : /usr/local/obm/_components/aua-inst-nix-
obm.tar.gz
/usr/local/obm/jvm does not exist, creating this directory
Untar JVM file : /usr/local/obm/_components/jre-std-linux-x86-
586.tar.gz
Untar component file : /usr/local/obm/_components/properties-
common.tar.gz
Untar component file : /usr/local/obm/_components/util-
common.tar.gz
Untar component file : /usr/local/obm/_components/util-nix-
obm.tar.gz
Untar jvm and component files finished
Install Application Path: /usr/local/obm
Done
Install obm finished

```

6. Check if AhsayOBM is installed properly.


```

# rpm -qi obm
Name : obm Relocations: (not
relocatable)
Version : 7.7.0.0 Vendor: (none)
Release : 0 Build Date: Tue 24
May 2016 10:43:29 AM HKT
Install Date: Fri 27 May 2016 04:23:03 PM HKT Build Host: cxb-
cos6x.releng.dev.test
Group : Applications/System Source RPM: obm-7.7.0.0-
0.src.rpm
Size : 17252 License: GPLv2+
Signature : (none)
URL : www.ahsay.com
Summary : Ahsay Online Backup Manager
Description :
Ahsay Online Backup Manager

```

3.1.2 sh

1. Login to the Linux machine via a ssh client using the root account.



2. Create a new directory to install AhsayOBM.

```
# mkdir -p /usr/local/obm
# cd /usr/local/obm
```

3. Download the AhsayOBM sh installation script file from your backup service provider's website:



4. Go to the download page and right click on **Download (sh) (Online)** button, then **Copy Link Address** to copy the URL of the AhsayOBM installer.



5. Execute the curl command with the copied URL to download the AhsayOBM installer from onto the Linux machine.

```
# curl -Ok https://10.120.10.12/cbs/download/obm-nix-443-
10.120.10.12-https-00.sh?dlName=obm-linux-443-10.120.10.12-
https-00.sh
  % Total    % Received % Xferd  Average Speed   Time    Time
  Time      Current               Dload  Upload    Total   Spent
  Left  Speed
100 17971  100 17971    0     0  9568      0  0:00:01  0:00:01
--:--:--  9735
```

6. Rename the file by removing everything starting from the "?" character, from:

obm-nix-443-10.120.10.12-https-00.sh?dlName=obm-linux-443-10.120.10.12-https-00.sh

to

obm-nix-443-10.120.10.12-https-00.sh

7. Add executable permissions to the AhsayOBM install script.

```
# chmod 755 obm-nix-443-10.120.10.12-https-00.sh
```

8. Execute the AhsayOBM install script. And the installation is completed when **Done** shows at the end of the script.


Note: The .sh script file should be placed under the directory path which you want to install the AhsayOBM application.

```
# ./obm-nix-443-10.120.10.12-https-00.sh

Log Time: Mon May 30 18:04:15 HKT 2016
Downloading package jre-std-linux-amd64.tar.gz...
  % Total      % Received % Xferd  Average Speed   Time    Time
  Time Current                        Dload  Upload   Total   Spent
Left  Speed
100 43.7M  100 43.7M  0   0  23.2M   0   0:00:01  0:00:01 --:--:--
28.3M
Download completed
Downloading package app-common.tar.gz...
  % Total      % Received % Xferd  Average Speed   Time    Time
  Time Current                        Dload  Upload   Total   Spent   Left   Speed
Download completed
.
.
  No old application found, begin fresh install
Untar component file : /usr/local/obm/_components/app-
common.tar.gz
Untar component file : /usr/local/obm/_components/aua-
common.tar.gz
Untar component file : /usr/local/obm/_components/aua-inst-nix-
obm.tar.gz
Untar component file : /usr/local/obm/_components/aua-native-
nix-x64.tar.gz
Untar component file : /usr/local/obm/_components/aua-nix-
obm.tar.gz
/usr/local/obm/jvm does not exist, creating this directory
Untar JVM file : /usr/local/obm/_components/jre-std-linux-
amd64.tar.gz
Untar component file : /usr/local/obm/_components/properties-
common.tar.gz
Untar component file : /usr/local/obm/_components/util-
common.tar.gz
Untar component file : /usr/local/obm/_components/util-nix-
obm.tar.gz
Untar jvm and component files finished
Install Application Path: /usr/local/obm
Done
```

3.1.3 dpkg (Ubuntu)

1. Login to the Ubuntu Linux machine via a ssh client using the root account.



2. To download the AhsayOBM deb package file from your backup service provider's website:



3. Go to the download page and right click on Ubuntu [Download] button to copy the URL of the AhsayOBM deb package installer.



4. Use the curl command to download the AhsayOBM installer from your backup service provider's website onto the Ubuntu Linux machine.

```
# curl -Ok https://10.120.10.12/cbs/download/obm-debian-noarch-443-10.120.10.12-https.deb
% Total    % Received % Xferd  Average Speed   Time    Time
      Time      Current
                                 Dload  Upload  Total  Spent
  Left  Speed
100 5768 100 5768    0     0   236      0  0:00:24  0:00:24 -
-:--:-- 237
```

5. Use dpkg -i to install AhsayOBM.

```
# dpkg -i obm-debian-noarch-443-10.120.10.12-https.deb
Selecting previously unselected package obm.
(Reading database ... 404532 files and directories currently
 installed.)
Preparing to unpack obm-debian-noarch-443-10.120.10.12-
https.deb ...
Unpacking obm (7.14.1.0) ...
Setting up obm (7.14.1.0) ...
```

```

Start install obm
Log Time: Mon Sep  4 17:01:38 HKT 2017
Host address: https://10.120.10.12:443
Downloading component file jre-std-linux-amd64.tar.gz...
  % Total    % Received % Xferd  Average Speed   Time    Time
      Time Current
                                Dload  Upload  Total  Spent
    Left  Speed
100 43.7M 100 43.7M    0     0  260k      0  0:02:52  0:02:52 -
-:--:-- 423k
Download completed
Untar component file to /tmp/_obm/jvm
Downloading component file app-common.tar.gz...
  % Total    % Received % Xferd  Average Speed   Time    Time
      Time Current
                                Dload  Upload  Total  Spent
    Left  Speed
.
.
.
Untar component file to /tmp/_obm
Downloading component file aua-inst-nix-obm.tar.gz...
  % Total    % Received % Xferd  Average Speed   Time    Time
      Time Current
                                Dload  Upload  Total  Spent
    Left  Speed
100 48658 100 48658    0     0 12152      0  0:00:04  0:00:04 -
-:--:-- 12185
Download completed
Untar component file to /tmp/_obm
No old application found, begin fresh install
Install Application Path: /usr/local/obm
Done
Install obm finished

```

6. To check the status of the installation use **dpkg -s obm**


```

# dpkg -s obm
Package: obm
Status: install ok installed
Priority: optional
Section: utils
Installed-Size: 204800
Maintainer: Ahsay Systems Corporation <support-kb@ahsay.com>
Architecture: all
Version: 7.17.0.0
Description: Ahsay Online Backup Manager
Ahsay Online Backup Manager

```

3.2 Offline Installation

1. Login to the Linux machine via a ssh client using the root account.



2. Create a new directory to install AhsayOBM.

```
# mkdir -p /usr/local/obm
# cd /usr/local/obm
```

3. Download the AhsayOBM *.tar.gz file from your backup service provider's website:



4. Go to the download page and right click on **Download (sh) (Offline)** button to copy the URL of the AhsayOBM installer.



5. Use the wget command to download the AhsayOBM installer from your backup service provider's website onto the Linux machine.

```
# wget --no-check-certificate
https://10.120.10.30/cbs/download/obm-linux.tar.gz
--2017-10-17 17:30:48-- https://10.120.10.30/cbs/download/obm-
linux.tar.gz
Connecting to 10.120.10.30:443... connected.
WARNING: cannot verify 10.120.10.30's certificate, issued by
"/C=CN/ST=Hong Kong (SAR)/L=Hong Kong/O=Ahsay System
Corporation Limited/OU=Information System
Department/CN=Ahsay System Corporation
Limited/emailAddress=ca@ahsay.com":
Self-signed certificate encountered.
WARNING: certificate common name "Not Secure" doesn't match
requested host name "10.120.10.30".
HTTP request sent, awaiting response... 200 OK
Length: unspecified [application/octet-stream]
```

```

Saving to: "obm-linux.tar.gz"

      [                                     <=>          ] 138,712,080
      3.01M/s   in 41s

2017-10-17 17:31:33 (3.19 MB/s) - "obm-linux.tar.gz" saved
[138712080]

```

6. Use the tar command to extract the individual components from the tarball.

```

# tar xvfz obm-linux.tar.gz
app.pkg/version.txt
app.pkg/app-common.tar.gz
app.pkg/app-native-nix-x64.tar.gz
app.pkg/app-native-nix-x86.tar.gz
app.pkg/app-nix-obm.tar.gz
app.pkg/aua-common.tar.gz
app.pkg/aua-native-nix-x64.tar.gz
app.pkg/aua-native-nix-x86.tar.gz
app.pkg/aua-nix-obm.tar.gz
app.pkg/util-common.tar.gz
app.pkg/util-nix-obm.tar.gz
app.pkg/properties-common.tar.gz
app.pkg/app-inst-nix-obm.tar.gz
app.pkg/aua-inst-nix-obm.tar.gz
app.pkg/jre-std-linux-amd64.tar.gz
app.pkg/jre-std-linux-x86-586.tar.gz
obm-linux.sh

```

7. Run the obm-linux.sh script to install AhsayOBM.

```

# sh obm-linux.sh
Log Time: Tue Oct 17 17:39:44 HKT 2017
Using package in /usr/local/obm/app.pkg
Package version: 7.15.0.0
Untar jre-std-linux-amd64.tar.gz to /tmp/_obm.171017134008/jvm
Untar app-common.tar.gz to /tmp/_obm.171017134008
Untar app-native-nix-x64.tar.gz to /tmp/_obm.171017134008
Untar app-nix-obm.tar.gz to /tmp/_obm.171017134008
Untar aua-common.tar.gz to /tmp/_obm.171017134008
Untar aua-native-nix-x64.tar.gz to /tmp/_obm.171017134008
Untar aua-nix-obm.tar.gz to /tmp/_obm.171017134008
Untar util-common.tar.gz to /tmp/_obm.171017134008
Untar util-nix-obm.tar.gz to /tmp/_obm.171017134008
Untar properties-common.tar.gz to /tmp/_obm.171017134008
Untar app-inst-nix-obm.tar.gz to /tmp/_obm.171017134008
Untar aua-inst-nix-obm.tar.gz to /tmp/_obm.171017134008
  No old application found, begin fresh install
Install Application Path: /usr/local/obm
Done

```

When completed successfully AhsayOBM will be installed in the following location **/usr/local/obm**.

3.3 AhsayOBM Scheduler Service Check

The AhsayOBM scheduler service is used to kick automated or scheduled backup jobs, to check if the AhsayOBM scheduler service is running use the **ps** command.

```
# ps -ef|grep java
root      7291      1 11 09:59 pts/0      00:00:02
/usr/local/obm/jvm/bin/bschJW -Xms128m -Xmx768m -
Dsun.nio.PageAlignDirectMemory=true -Djava.library.path=. -
cp ../cbs.jar cbs /usr/local/obm
root      7315    6742  0 10:00 pts/0      00:00:00 grep java
```

1. To manually start the scheduler service use the **/usr/local/obm/bin/Scheduler.sh** script.
2. To manually stop the scheduler service use the **/usr/local/obm/bin/StopScheduler.sh** script.

3.4 RunLevel Symlink Check

During installation the following symlinks to the scheduler startup script **/etc/init.d/obmscheduler** will be created for Runlevels 2 to 5, to allow the AhsayOBM scheduler service to be started up automatically each time after the Linux machine is rebooted or restarted.

To verify the symlinks have been created correctly:

Example: Ubuntu 16.04 LTS

```
# ls -la /etc/rc[2-5].d/*obm*
lrwxrwxrwx 1 root root 24 Sep  4 17:09 /etc/rc2.d/S99obmscheduler -
> /etc/init.d/obmscheduler
lrwxrwxrwx 1 root root 24 Sep  4 17:09 /etc/rc3.d/S99obmscheduler -
> /etc/init.d/obmscheduler
lrwxrwxrwx 1 root root 24 Sep  4 17:09 /etc/rc4.d/S99obmscheduler -
> /etc/init.d/obmscheduler
lrwxrwxrwx 1 root root 24 Sep  4 17:09 /etc/rc5.d/S99obmscheduler -
> /etc/init.d/obmscheduler
#
```

Example: CentOS 6

```
# ls -la /etc/rc.d/rc[2-5].d/*obm*
lrwxrwxrwx 1 root root 24 Jan 18 16:05
/etc/rc.d/rc2.d/S99obmscheduler -> /etc/init.d/obmscheduler
lrwxrwxrwx 1 root root 24 Jan 18 16:05
/etc/rc.d/rc3.d/S99obmscheduler -> /etc/init.d/obmscheduler
lrwxrwxrwx 1 root root 24 Jan 18 16:05
/etc/rc.d/rc4.d/S99obmscheduler -> /etc/init.d/obmscheduler
lrwxrwxrwx 1 root root 24 Jan 18 16:05
/etc/rc.d/rc5.d/S99obmscheduler -> /etc/init.d/obmscheduler
#
```

4 Starting AhsayOBM

To startup AhsayOBM and connect to AhsayCBS you need to use the **RunConfigurator.sh** script, to configure the backup server URL, port and proxy server settings (if applicable) and enter the user id and password.

Please contact your backup service provider to obtain your user login and password and backup server URL settings.

```
# cd /usr/local/obm/bin
# sh RunConfigurator.sh
Startup Ahsay Online Backup Manager ...
User Configuration file not found
Create a new Configuration file at directory
[/root/.obm/config]
Login Menu (No configuration files found)
-----
(1). Login
(2). Free Trial
(3). Quit
-----
Your Choice: 1

Backup Server URL : 10.20.1.46
Port : 443
Protocol? (1) Http (2) Https : 2
Enable Proxy (Y/N) ? N
Login Name : your_username
Password : *****

Please wait while verifying user account with server...
log4j:WARN No appenders could be found for logger
(org.apache.http.impl.conn.PoolingClientConnectionManager).
log4j:WARN Please initialize the log4j system properly.
log4j:WARN See http://logging.apache.org/log4j/1.2/faq.html#noconfig
for more info.

Your account (a1) is found on server (10.20.1.46:443).
New configuration file has been created

Main Menu
-----
(1). List Backup Sets
(2). Delete Backup Set
(3). Export Backup Set Settings to XML
(4). Import Backup Set Settings from XML
(5). Generate new Backup Set Settings Template
(6). Change Language [English]
(7). Update Profile Settings
(8). Quit
-----
Your Choice:
```

5 Creating a File Backup Set



There are two ways to create a File Backup Set. One is to create it using AhsayCBS while another way is through ssh.

5.1 Using AhsayCBS

Initial backup set preferences may be configured using AhsayCBS then edited in a ssh to add the Encryption and Standard Destination settings.

Note: If Predefined Destination is already specified then there is no need to edit the XML file using a ssh. For further details on each field to be configured please refer to [Appendix B](#) which explains each field and [Appendix C](#) which provides example for each field.

1. Log in to AhsayCBS and go to User.



2. Click Create to create a backup set.

User Profile

Backup Set

Settings

Report

Statistics

Effective Policy

Manage Backup Set ?

+ - ✓

<input type="checkbox"/>	Name	Type	Version	Execute Job
--------------------------	------	------	---------	-------------

X ?

3. Input the name and select the Type. Click Next.

Add New Backup Set

General

Name

name of the backup set

Owner

Type

File Backup ▼

→ X ?

4. For Linux, the Common Files and Folders are not applicable so you can specify the backup source in the **Other Selected Source** part. You can also choose if filters will be applied to the backup source. By default it is turned off.

Add New Backup Set

Backup Source

Common Files and Folders

☐ Desktop

☐ Documents

☐ Favourites

☐ Outlook

☐ Outlook Express

☐ Windows Mail

☐ Windows Live Mail

Apply filters to the backup source

You can choose to apply filters by sliding the lever to the right. Then click the Create button to set your filter preferences.

Apply filters to the backup source

☐ Name

Add **Other Selected Source** by clicking the Create button.

Other Selected Source

☐ Path

☐ /bin

Input the path of the source to be backed up. Click Add button to add the source. Keep doing this until all backup source are added.

Other Selected Source

Path

path of the files or folders to be backed up

To exclude a source you can add it under **Deselected Source** by clicking the Create button.

Note: Some folders are automatically not included for backup. Please refer to [Appendix G](#) for more information on these ignored folders.

Deselected Source

Path

/root/.obm

/usr/local/obm

/tmp

Input the path of the source to be excluded in the backup. Click Add button to add the deselected source. Keep doing this until all source to be excluded are added. Click Next.

Deselected Source

Path

path of the file or folder to be excluded in the backup

5. The **Run scheduled backup for this backup set** is turned on by default. If you do not want to create a backup schedule you can turn it off by sliding the lever to the left. By default there is already a backup schedule created that is scheduled to run daily at 8pm until full backup is completed. This schedule may either be edited or deleted if you want to create your own backup schedule.

Note: It is optional to input the computer name in the **Run scheduled backup on computers named** field since it will be updated once backup set creation is completed in AhsayOBM client. In Step 17, the computer name can be checked there as the Owner.

Add New Backup Set

Run scheduled backup for this backup set

Manage schedule

	Name	Type
<input type="checkbox"/>	Backup Schedule	Daily

Run scheduled backup on computers named

*

←

→

X

?

6. Input the Name for the backup schedule. Select the type whether Daily, Weekly, Monthly or Custom. For the **Daily**, select the time back up will start.

Backup Schedule

Details

Name

name of the backup schedule

Type

Daily

Start backup at

00 : 00

For the **Weekly**, select the day of the week and time the backup will start.

Backup Schedule

Details

Name

Type

Backup on these days of the week
☐ Sun ☐ Mon ☐ Tue ☐ Wed ☐ Thu ☐ Fri ☐ Sat

Start backup at
 :

For the **Monthly**, select the day of the month and time backup will start. You can also create a schedule where you will choose the week and day of the week the backup will start e.g. every First Sunday of every month

Backup Schedule

Details

Name

Type

Backup on the following day every month
☒
☐

Start backup at
 :

For **Custom**, you can specify the exact date and time the backup will start.

Backup Schedule

Details

Name

Type

Backup on the following day once

Start backup at
 :

Also select when backup will stop. If **until full backup completed** is chosen, the backup will run until all the files and folder in the selected source is backed up.

Stop

If **after** is chosen, you need to specify the number of hours the backup will run. Note that even if the backup is not yet finished it will stop on the specified hour. Check the box if you opt to **Run Retention Policy after backup**. Click the Add button to create the backup schedule. Then click Next.

Stop
 hr

☐ Run Retention Policy after backup

7. Select the **Backup Mode** if Concurrent or Sequential. By default **Sequential** is selected since only one backup set is being created. In Sequential backup mode, if there are multiple destinations configured in the backup set, AhsayOBM will backup to one destination at a time. In **Concurrent** backup mode, if there are multiple destinations configured in the backup set, AhsayOBM will backup to all destinations at the same time or concurrently.


Note: For backup sets with multiple destinations, sequential backup mode will take longer compared with concurrent backup mode.

Add New Backup Set

Destination

Backup Mode

If **Concurrent** is selected, specify the maximum number of backup destinations.



Backup Mode

Concurrent ▼


Maximum concurrent backup destinations

Unlimited ▼

2
3
4
5
6
7
8
9
10

Destination

Only **Predefined Destination** may be added here. If it is a standard destination it must be set up in AhsayOBM client. Note that a Predefined Destination must be set up by your service provider before you can add it here. Then click Next.



Predefined Destination


+

☒

☐ Name

← → X

8. Uncheck the box to disable OpenDirect since it is not supported in Linux. Then click Next.



Add New Backup Set

OpenDirect

☐ Support of opening backup data directly without restoration.

When OpenDirect is enabled, to optimize restore performance both compression and encryption will be disabled for this backup set.

Once OpenDirect is enabled and the setting is saved, it cannot be disabled without re-creating the backup set.

← → X ?

9. Leave the **Domain Name / Host Name** and **User name** fields blank since Windows User Authentication is not supported in Linux. Click Save to create the Backup Set.





Add New Backup Set

Windows User Authentication

Domain Name (e.g. mycompany.com) / Host Name

User name

Password

10. Click on the backup set you just created.

User Profile


Backup Set




Settings


Report



Statistics

Effective Policy

Manage Backup Set 

<input type="checkbox"/>	Name	Type	Version	Execute Job
<input type="checkbox"/>	b1		--	--

Go to **Others** and input the path of your temporary directory. Check the box beside **Remove temporary files after backup** if you want it removed. You can also change the settings for **Follow Link** and **Compressions**.

Note: Only do the succeeding steps if there is no Predefined Destination specified in the backup set. Otherwise you may proceed to starting your [AhsayOBM](#).

11. Open ssh session in the Linux machine and execute the RunConfigurator.sh script. The Login Menu will be displayed. Select **(1). Login** then press Enter to login. Input your Login Name and Password. Set the encryption setting for the backup set.

```
# sh RunConfigurator.sh
Startup Ahsay Online Backup Manager ...
Config file found

Login Menu
-----
(1). Login
(2). Change Network Settings
(3). Forgot Password
(4). Quit
-----
Your Choice: 1

Login Name : LinuxGuide
Password : *****

Please wait while verifying user account with server...
log4j:WARN No appenders could be found for logger
(org.apache.http.impl.conn.PoolingClientConnectionManager).
log4j:WARN Please initialize the log4j system properly.
```

```

log4j:WARN See
http://logging.apache.org/log4j/1.2/faq.html#noconfig for more
info.
Your profile has been downloaded and updated.
Encryption setting has not been defined for backup set "b1"
Do you want to set the encryption setting for this backup set?
(Y/N) ? y
Enable Encryption (Y/N) ? y

Choose Encryption Type
-----
(1). Default
(2). User password
(3). Custom
-----
Your Choice: 2

```

12. Edit the backup set created from AhsayCBS to add the Destination Setting. Select **(1). List Backup Sets** to list the backup set.

```

Main Menu
-----
(1). List Backup Sets
(2). Delete Backup Set
(3). Export Backup Set Settings to XML
(4). Import Backup Set Settings from XML
(5). Generate new Backup Set Settings Template
(6). Change Language [English]
(7). Update Profile Settings
(8). Quit
-----
Your Choice: 1

```

13. Select the backup set to show the details by selecting **(1). Name of your backup set**

```

Select a Backup Set to show more details
-----
(1). b1
-----
Your Choice: 1

Name                : b1
Owner               : rhel6.5-4-42
Type                : FILE
Selected Source     : /bin
Deselected Source  : /root/.obm
Deselected Source  : /usr/local/obm
Deselected Source  : /tmp
Encryption Key      : abc123$%
Encryption Algorithm : AES
Encryption Mode     : CBC
Encryption Key Length: 256

Press Enter to continue...

```

14. Export the backup set to XML by selecting **(3). Export Backup Set Setting to XML**

```
Main Menu
-----
(1). List Backup Sets
(2). Delete Backup Set
(3). Export Backup Set Settings to XML
(4). Import Backup Set Settings from XML
(5). Generate new Backup Set Settings Template
(6). Change Language [English]
(7). Update Profile Settings
(8). Quit
-----
Your Choice: 3

Choose your backup set to generate XML file
-----
(1). b1
-----
Your Choice: 1

XML file successfully exported to
/root/.obm/config/backupSet.xml
```

15. Exit from the Main Menu then edit the XML file by using the vi editor. Add the Value data for the **Destination Settings** to the file then save.

```
# cd /root/.obm/config
# vi backupSet.xml

<!-- This is the collection of destinations -->
<Key name="Destination Settings">
    <!-- Concurrency level is the number of
destinations to run backup concurrently -->
    <!-- 2, 3, 4... -->
    <!-- 1 : Backup to destinations one by one
sequentially -->
    <!-- -1: Backup to all destinations concurrently
-->
    <Value data="1" name="Concurrency Level"
type="integer" />
<!-- AhsayCBS destination is where the files are backup to
server -->
    <Key name="AhsayCBS Destination Settings">
    </Key>
</Key>
```

16. Import the backup set by selecting **(4). Import Backup Set Setting from XML**. Confirm overwrite of file.

```
Main Menu
-----
(1). List Backup Sets
(2). Delete Backup Set
(3). Export Backup Set Settings to XML
(4). Import Backup Set Settings from XML
(5). Generate new Backup Set Settings Template
(6). Change Language [English]
(7). Update Profile Settings
(8). Quit
-----
Your Choice: 4

Backup Set 'b1' already exist. Confirm overwrite? (Y/N) ? Y
XML imported, uploading to server...

XML successfully uploaded to server
```

17. Check if Destination Name and Encryption Key was successfully added.


```
Main Menu
-----
(1). List Backup Sets
(2). Delete Backup Set
(3). Export Backup Set Settings to XML
(4). Import Backup Set Settings from XML
(5). Generate new Backup Set Settings Template
(6). Change Language [English]
(7). Update Profile Settings
(8). Quit
-----
Your Choice: 1

Select a Backup Set to show more details
-----
(1). b1
-----
Your Choice: 1

Name                : b1
Owner               : rhel6.5-4-42
Type                : FILE
Selected Source     : /bin
Deselected Source  : /root/.obm
Deselected Source  : /usr/local/obm
Deselected Source  : /tmp
Destination Name    : AhsayCBS, Type: OBS
Encryption Key      : abc123$%
Encryption Algorithm : AES
Encryption Mode     : CBC
Encryption Key Length: 256

Press Enter to continue...
```

18. Check in AhsayCBS web console if Destination Name and Encyption setting was successfully added.



General
Source
Backup Schedule
Continuous Backup
Destination
In-File Delta
Retention Policy
Command Line Tool
Reminder
Bandwidth Control
IP Allowed for Restore
Others

Backup Mode
Sequential

Predefined Destination

Name	Rebuild

Standard Destination

Name	Info	Rebuild
AhsayCBS	--	--

Temporary Directory
Temporary directory for storing backup files
/tmp
☒ Remove temporary files after backup

Follow Link
☒ Follow link of the backup files

Volume Shadow Copy
☒ Enable Windows' Volume Shadow Copy for open file backup

OpenDirect
☐ Support of opening backup data directly without restoration

Compressions
Select compression type
Fast (Compressed size larger than normal)

Encryption
Encrypting key *****
Algorithm AES
Method CBC
Key length 256

5.2 Using ssh

1. To create a File backup set select **(5). Generate new Backup Set Settings Template** from the menu.

```
Main Menu
-----
(1). List Backup Sets
(2). Delete Backup Set
(3). Export Backup Set Settings to XML
(4). Import Backup Set Settings from XML
(5). Generate new Backup Set Settings Template
(6). Change Language [English]
(7). Update Profile Settings
(8). Quit
-----
Your Choice: 5
```

2. Select **(1). File** to generate a File Backup Set template file to the **/root/.obm/config** directory.

```
Choose a template from a backup set type
-----
(1). File
(2). MySQL Database
(3). Oracle Database Server
(4). IBM Domino
-----
Your Choice: 1

XML file successfully exported to
/root/.obm/config/backupSet.xml

Main Menu
-----
(1). List Backup Sets
(2). Delete Backup Set
(3). Export Backup Set Settings to XML
(4). Import Backup Set Settings from XML
(5). Generate new Backup Set Settings Template
(6). Change Language [English]
(7). Update Profile Settings
(8). Quit
-----
Your Choice:
```

3. **Configuring Backup Set Settings.**

To configure the backup set setting you need to edit the **/root/.obm/config/backupSet.xml** file using a text editor, for example vi

You can either quit the RunConfigurator.sh script or open a new ssh session to edit the backupSet.xml file.

Please refer to Appendix A, B, and C for details and examples on how to create a backup sets using the **backupSet.xml** file.

Notes:

- i. Before importing the backupSet.xml file please remove any unused destinations and backup schedule settings. Otherwise the following error will be displayed "**Failed to import XML file (Reason: Value of Name is empty!)**" when trying to import the backupSet.xml file.
- ii. Setup of the following cloud storage destinations; OneDrive, OneDrive For Business, DropBox, and Google Drive are not supported in Linux CLI environment, as these cloud storage destinations require authentication using a web browser.

4. Importing the updated backupSet.xml file to AhsayOBM

After you have edited the backupSet.xml file with your chosen backup settings you need to import the settings back to AhsayOBM so they can be uploaded to AhsayCBS backup server in order to create the backup set.

For example: to create a new file backup set called "b4" with encryption enabled and default encryption settings.

```
Main Menu
-----
(1). List Backup Sets
(2). Delete Backup Set
(3). Export Backup Set Settings to XML
(4). Import Backup Set Settings from XML
(5). Generate new Backup Set Settings Template
(6). Change Language [English]
(7). Update Profile Settings
(8). Quit
-----
Your Choice: 4
-----

The backup set "b4" is not owned by this computer, do you want
to take the ownership? (Y/N) ? Y
New backup set created.
Enable Encryption (Y/N) ? Y
Use default encryption settings (Y/N) ? Y
XML imported, uploading to server...

XML successfully uploaded to server
```

5. Verify the Backup Set Settings

To verify the uploaded backup set settings are correct select **(1). List Backup Sets** and then select the backup you wish to verify, for example backup set name b4.

```
Main Menu
-----
(1). List Backup Sets
(2). Delete Backup Set
(3). Export Backup Set Settings to XML
(4). Import Backup Set Settings from XML
(5). Generate new Backup Set Settings Template
(6). Change Language [English]
(7). Update Profile Settings
(8). Quit
-----
Your Choice: 1
```

```

Select a Backup Set to show more details
-----
(1). b4
-----
Your Choice: 1

Name                : b4
Owner               : rhel6.5-4-42
Type                : FILE
Selected Source     : /Templates
Deselected Source  : /root/.obm
Deselected Source  : /usr/local/obm
Deselected Source  : /tmp
Destination Name    : AhsayCBS, Type: OBS
Encryption Key      :
qtphlg3uNVfoYkuZN0MpsPNf3ct3cCBgFI0CA1b3LC4=
Encryption Algorithm : AES
Encryption Mode      : CBC
Encryption Key Length: 256

Press Enter to continue...

```

Congratulations! The backup set configuration is now complete!

Notes:

- i. *We would like to stress that it is very important to keep a separate record of your encryption key in a safe place, as you will not be able to restore your data without the correct encryption key.*
- ii. *If you re-install AhsayOBM or install AhsayOBM on another machine the encryption will be required for restoring data from the backup set.*

6. Verify the Backup Schedule

To verify the scheduled backup settings are correct, check the AhsayOBM scheduler log (**debug.log**) located in **/root/.obm/log/Scheduler** folder.

```

# cat /root/.obm/log/Scheduler/debug.log

[2016/06/28 10:21:39][info] [b2 (1466153033224)] Start
scheduler.
[2016/06/28 10:21:39][info] [b2 (1466153033224)] Next backup
will run in 11 hr 38 min 20 sec.
[2016/06/28 10:26:39][info] Loading profile...
[2016/06/28 10:26:39][info] Loading profile from server ...
[2016/06/28 10:26:40][info] Loading profile from server ...
Completed
[2016/06/28 10:26:40][info] Loading profile... Completed
[2016/06/28 10:26:40][info] Profile is reloaded from server.
Reloading scheduler ...
[2016/06/28 10:26:40][info] [b2 (1466153033224)] Next backup
will run in 11 hr 33 min 19 sec.
[2016/06/28 10:26:40][info] Profile is reloaded from server.
Reloading scheduler ... Completed
[2016/06/28 10:31:40][info] Loading profile...
[2016/06/28 10:31:40][info] Loading profile from server ...


```

```
[2016/06/28 10:31:41][info] Loading profile from server ...  
Completed  
[2016/06/28 10:31:41][info] Loading profile... Completed  
[2016/06/28 10:31:41][info] Profile is reloaded from server.  
Reloading scheduler ...  
[2016/06/28 10:31:41][info] [b2 (1466153033224)] Next backup  
will run in 11 hr 28 min 18 sec.  
[2016/06/28 10:31:41][info] Profile is reloaded from server.  
Reloading scheduler ... Completed
```

The AhsayOBM scheduler service connects to the AhsayCBS backup server every 5 minutes to retrieve the latest profile updates. It will display a countdown of when the scheduled backup job(s) will be kicked off.

6 Overview on the Backup Process

The following steps are performed during a file backup job.



7 Running Backup Jobs

Use the **RunBackupSet.sh** script to start a backup job manually.

```
# cd /usr/local/obm/bin
# sh RunBackupSet.sh "b4"
-
Using APP_HOME      : /usr/local/obm
Using SETTING_HOME  :
Using JAVA_HOME     : /usr/local/obm/jvm
Using JAVA_EXE      : /usr/local/obm/jvm/bin/java
Using JAVA_OPTS     : -Xrs -Xms128m -Xmx768m -client -
Dsun.nio.PageAlignDirectMemory=true
Using JNI_PATH      : -Djava.library.path=.
Using CLASSPATH     : ../cb.jar
-
Running Backup Set - 'b4' ...
log4j:WARN No appenders could be found for logger
(org.apache.http.impl.conn.PoolingClientConnectionManager).
log4j:WARN Please initialize the log4j system properly.
log4j:WARN See http://logging.apache.org/log4j/1.2/faq.html#noconfig
for more info.
[2016/06/03 14:19:57] [info] [-] Start [ Linux 2.6.32-431.el6.i686
(rhel6.5-4-42), AhsayOBM v7.7.0.0 ]
[2016/06/03 14:19:58] [info] [-] Saving encrypted backup set
encryption keys to server...
[2016/06/03 14:19:58] [info] [1464934723842] Start Backup ... [In-
File Delta: Incremental]
[2016/06/03 14:19:58] [info] [1464934723842] Using Temporary
Directory /tmp/1464934723693/OBS@1464934723842
[2016/06/03 14:19:58] [info] [-] Start running pre-commands
[2016/06/03 14:19:58] [info] [-] Finished running pre-commands
[2016/06/03 14:19:58] [info] [1464934723842] Downloading server file
list...
[2016/06/03 14:19:59] [info] [1464934723842] Downloading server file
list... Completed
[2016/06/03 14:19:59] [info] [1464934723842] Reading backup source
from hard disk...
[2016/06/03 14:19:59] [info] [1464934723842] Reading backup source
from hard disk... Completed
[2016/06/03 14:19:59] [info] [1464934723842] [New Directory]... /
[2016/06/03 14:19:59] [info] [1464934723842] [New Directory]...
/Templates
[2016/06/03 14:19:59] [info] [1464934723842] [New Directory]... /root
[2016/06/03 14:19:59] [info] [1464934723842] [New File]... 100% of
"/Templates/windows-1250.txt"
[2016/06/03 14:20:00] [info] [1464934723842] [New File]... 100% of
"/Templates/windows-1251.txt"
[2016/06/03 14:20:00] [info] [1464934723842] [New File]... 100% of
"/Templates/windows-1252.txt"
[2016/06/03 14:20:00] [info] [1464934723842] [New File]... 100% of
"/Templates/windows-1253.txt"
[2016/06/03 14:20:00] [info] [1464934723842] [New File]... 100% of
"/Templates/windows-1254.txt"
[2016/06/03 14:20:00] [info] [1464934723842] [New File]... 100% of
"/Templates/windows-1255.txt"
[2016/06/03 14:20:00] [info] [1464934723842] [New File]... 100% of
"/Templates/windows-1256.txt"
[2016/06/03 14:20:00] [info] [1464934723842] [New File]... 100% of
"/Templates/windows-1257.txt"
```

```

[2016/06/03 14:20:00] [info] [1464934723842] [New File]... 100% of
"/Templates/windows-1258.txt"
[2016/06/03 14:20:00] [info] [1464934723842] [New File]... 56% of
"/Templates/windows-1361.txt"
[2016/06/03 14:20:00] [info] [1464934723842] [New File]... 100% of
"/Templates/windows-1361.txt"
[2016/06/03 14:20:00] [info] [1464934723842] [New File]... 100% of
"/Templates/windows-874.txt"
[2016/06/03 14:20:00] [info] [1464934723842] [New File]... 100% of
"/Templates/windows-932.txt"
[2016/06/03 14:20:00] [info] [1464934723842] [New File]... 61% of
"/Templates/windows-936.txt"
[2016/06/03 14:20:00] [info] [1464934723842] [New File]... 85% of
"/Templates/windows-936.txt"
[2016/06/03 14:20:00] [info] [1464934723842] [New File]... 100% of
"/Templates/windows-936.txt"
[2016/06/03 14:20:00] [info] [1464934723842] [New File]... 56% of
"/Templates/windows-949.txt"
[2016/06/03 14:20:00] [info] [1464934723842] [New File]... 100% of
"/Templates/windows-949.txt"
[2016/06/03 14:20:00] [info] [1464934723842] [New File]... 49% of
"/Templates/windows-950.txt"
[2016/06/03 14:20:00] [info] [1464934723842] [New File]... 99% of
"/Templates/windows-950.txt"
[2016/06/03 14:20:00] [info] [1464934723842] [New File]... 100% of
"/Templates/windows-950.txt"
[2016/06/03 14:20:01] [info] [1464934723842] Total New Files = 15
[2016/06/03 14:20:01] [info] [1464934723842] Total New Directories =
3
[2016/06/03 14:20:01] [info] [1464934723842] Total New Links = 0
[2016/06/03 14:20:01] [info] [1464934723842] Total Updated Files = 0
[2016/06/03 14:20:01] [info] [1464934723842] Total Attributes Changed
Files = 0
[2016/06/03 14:20:01] [info] [1464934723842] Total Deleted Files = 0
[2016/06/03 14:20:01] [info] [1464934723842] Total Deleted
Directories = 0
[2016/06/03 14:20:01] [info] [1464934723842] Total Deleted Links = 0
[2016/06/03 14:20:01] [info] [1464934723842] Total Moved Files = 0
[2016/06/03 14:20:02] [info] [1464934723842] Saving encrypted backup
file index to 1464934723693/blocks at destination CBS...
[2016/06/03 14:20:02] [info] [1464934723842] Saving encrypted backup
file index to 1464934723693/blocks/2016-06-03-14-19-39 at destination
CBS...
[2016/06/03 14:20:02] [info] [-] Start running post-commands
[2016/06/03 14:20:02] [info] [-] Finished running post-commands
[2016/06/03 14:20:05] [info] [1464934723842] Deleting temporary file
/tmp/1464934723693/OBS@1464934723842
[2016/06/03 14:20:05] [info] [1464934723842] Backup Completed
Successfully

```

8 Restoring Data

1. To restore files that have been backed up from your backup destination, you need to use the Restore.sh script by using a text editor like vi to configure the restore settings like:

- Backup Set Name -> BACKUP_SET=""
- Backup Destination -> DESTINATION=""
- Location of Restored Files -> RESTORE_TO=""
- Files/Folders to be Restored -> RESTORE_FROM=""
- Snapshot to be restored ->POINT_IN_TIME=""
- Applying the original permission to the restore files ->RESTORE_PERMISSION=""

```
# cd /usr/local/obm/bin
# vi Restore.sh

#!/bin/sh

##### Restore.sh
#####
# You can use this shell script to restore backup files using
command-line.
# Just customize the "User Define Section" below with values for
your restore
# action.
#
#####
##

##### Start: User Defined Section
#####

# ----- BACKUP_SET -----
--
# | The name or ID of the backup set that you want to restore.
# | If backup set name is not in English, please use ID instead.
# | e.g. BACKUP_SET="1119083740107"
# | or BACKUP_SET="FileBackupSet-1"
# |
# | You can leave this parameter blank if you have only 1 backup
set.
# -----
--
BACKUP_SET="b4"

# ----- DESTINATION -----
--
# The name or ID of the backup destination that you want to
restore from.
# If backup destination name is not in English, please use ID
instead.
# | e.g. DESTINATION="1740107119083"
# | or DESTINATION="Destination-1"
# |
# | You can leave this parameter blank if you have only 1
destination.
# -----
--
```

```

DESTINATION="CBS"
# ----- RESTORE_TO -----
--
# | Directory to where you want files to be restored
# | set to "" to restore files to original location
# | e.g. RESTORE_TO="/tmp"
# -----
--
RESTORE_TO="/restored_files"

# ----- RESTORE_FROM -----
-
# | File/Directory on the backup server that you would like to
# | restore
# | e.g. RESTORE_FROM="/Data"
# -----
-
RESTORE_FROM="/Templates"

# ----- POINT_IN_TIME -----
-
# The point-in-time snapshot (successful backup) that you want to
# | restore
# | from the backup server. Use "Current" for the latest backup
# | snapshot
# | e.g. POINT_IN_TIME="2006-10-04-12-57-13"
# | or POINT_IN_TIME="Current"
#
# You can retrieve the point in time by using the
# ListBackupJob.sh
# -----
POINT_IN_TIME="Current"

# ----- RESTORE_PERMISSION -----
# | set to "Y" if you want to restore file permissions
# | set to "N" if you do NOT want to restore file permissions
# -----
RESTORE_PERMISSION="N"

# ----- SKIP_INVALID_KEY -----
# | set to "Y" if you want to skip restore file with invalid key
# | set to "N" if you do NOT want to enable sync option
# | set to "" to prompt for selection
# -----
-
SYNC_OPTION="N"

# ----- REPLACE_EXISTING_FILE -----
-
# set to "--all" to replace all existing file(s) of the same
# filename
# set to "--none" to skip all existing file(s) with the same
# filename
# set to "" to prompt for selection
# -----
-
REPLACE_EXISTING_FILE="--all"

# ----- SETTING_HOME -----
-
# | Directory to your setting home.
# | Default to ${HOME}/.obm when not set.

```

```

# | e.g. SETTING_HOME="${HOME}/.obm"
# -----
-
SETTING_HOME=""

# ----- FILTER -----
-
# Filter out what files you want to restore
# -Pattern=xxx-Type=yyy-Target=zzz
# where xxx is the filter pattern,
# yyy is the filter type, which can be one of the following:
# [exact | exactMatchCase | contains | containsMatchCase|
|
| startWith | startWithMatchCase | endWith | endWithMatchCase]
|
# zzz is the filter target, which can be one of the following:
# [toFile | toFileDir | toDir]
|
#
# e.g. FILTER="-Pattern=.txt-Type=exact-Target=toFile"
# -----
--
FILTER=""

# ----- TEMP_DIR -----
--
# | Directory to where you want to store restore files
temporarily
# | set to "" to use the temporary directory in the backup set
# | e.g. TEMP_DIR="/tmp"
# -----
TEMP_DIR="/tmp"

##### END: User Defined Section #####

```

2. After the Restore.sh script is configured the files can be restored by running the Restore.sh script.

```

# cd /usr/local/obm/bin
# sh Restore.sh
Using APP_HOME:           : /usr/local/obm
Using BACKUP_SET          : b4
Using RESTORE_FROM        : /Templates
Using RESTORE_TO          : /restored_files
Using POINT_IN_TIME       : Current
Using RESTORE_PERMISSION : N
Using TEMP_DIR            : /tmp
Filter Pattern not set, filter would not apply to restore
log4j:WARN No appenders could be found for logger
(org.apache.http.impl.conn.PoolingClientConnectionManager).
log4j:WARN Please initialize the log4j system properly.
log4j:WARN See
http://logging.apache.org/log4j/1.2/faq.html#noconfig for more
info.
[2016-06-03 14:28:34] Start [ Linux 2.6.32-431.el6.i686 (rhel6.5-
4-42), AhsayOBM v7.7.0.0 ]
[2016-06-03 14:28:34] start,"Start [ Linux 2.6.32-431.el6.i686
(rhel6.5-4-42), AhsayOBM v7.7.0.0 ]",0,0,0,,0,0
[2016-06-03 14:28:34] Initializing decrypt action...
[2016-06-03 14:28:34] Initializing decrypt action... Completed
[2016-06-03 14:28:35] Creating new directory...
"/restored_files/Templates"

```

```

[2016-06-03 14:28:35] Downloading...
"/restored_files/Templates/windows-1250.txt" (Total 9k bytes)
[2016-06-03 14:28:35] file,/restored_files/Templates/windows-1250.txt,9525,9525,1464934586000,,1464935315573,1464935315573
[2016-06-03 14:28:35] Downloading...
"/restored_files/Templates/windows-1251.txt" (Total 8k bytes)
[2016-06-03 14:28:35] file,/restored_files/Templates/windows-1251.txt,9200,9200,1464934586000,,1464935315583,1464935315583
[2016-06-03 14:28:35] Downloading...
"/restored_files/Templates/windows-1252.txt" (Total 9k bytes)
[2016-06-03 14:28:35] file,/restored_files/Templates/windows-1252.txt,9350,9350,1464934586000,,1464935315589,1464935315590
[2016-06-03 14:28:35] Downloading...
"/restored_files/Templates/windows-1253.txt" (Total 8k bytes)
[2016-06-03 14:28:35] file,/restored_files/Templates/windows-1253.txt,8933,8933,1464934586000,,1464935315596,1464935315597
[2016-06-03 14:28:35] Downloading...
"/restored_files/Templates/windows-1254.txt" (Total 9k bytes)
[2016-06-03 14:28:35] file,/restored_files/Templates/windows-1254.txt,9341,9341,1464934586000,,1464935315601,1464935315601
[2016-06-03 14:28:35] Downloading...
"/restored_files/Templates/windows-1255.txt" (Total 8k bytes)
[2016-06-03 14:28:35] file,/restored_files/Templates/windows-1255.txt,8299,8299,1464934586000,,1464935315605,1464935315605
[2016-06-03 14:28:35] Downloading...
"/restored_files/Templates/windows-1256.txt" (Total 8k bytes)
[2016-06-03 14:28:35] file,/restored_files/Templates/windows-1256.txt,8652,8652,1464934586000,,1464935315610,1464935315610
[2016-06-03 14:28:35] Downloading...
"/restored_files/Templates/windows-1257.txt" (Total 8k bytes)
[2016-06-03 14:28:35] file,/restored_files/Templates/windows-1257.txt,9213,9213,1464934586000,,1464935315614,1464935315614
[2016-06-03 14:28:35] Downloading...
"/restored_files/Templates/windows-1258.txt" (Total 8k bytes)
[2016-06-03 14:28:35] file,/restored_files/Templates/windows-1258.txt,9203,9203,1464934586000,,1464935315619,1464935315619
[2016-06-03 14:28:35] Downloading...
"/restored_files/Templates/windows-1361.txt" (Total 339k bytes)
[2016-06-03 14:28:35] file,/restored_files/Templates/windows-1361.txt,347941,347941,1464934586000,,1464935315625,1464935315634
[2016-06-03 14:28:35] Downloading...
"/restored_files/Templates/windows-874.txt" (Total 8k bytes)
[2016-06-03 14:28:35] file,/restored_files/Templates/windows-874.txt,8434,8434,1464934586000,,1464935315638,1464935315639
[2016-06-03 14:28:35] Downloading...
"/restored_files/Templates/windows-932.txt" (Total 183k bytes)
[2016-06-03 14:28:35] file,/restored_files/Templates/windows-932.txt,188080,188080,1464934586000,,1464935315642,1464935315649
[2016-06-03 14:28:35] Downloading...
"/restored_files/Templates/windows-936.txt" (Total 470k bytes)
[2016-06-03 14:28:35] file,/restored_files/Templates/windows-936.txt,481440,481440,1464934586000,,1464935315655,1464935315668
[2016-06-03 14:28:35] Downloading...
"/restored_files/Templates/windows-949.txt" (Total 339k bytes)
[2016-06-03 14:28:35] file,/restored_files/Templates/windows-949.txt,347360,347360,1464934586000,,1464935315672,1464935315681
[2016-06-03 14:28:35] Downloading...
"/restored_files/Templates/windows-950.txt" (Total 387k bytes)
[2016-06-03 14:28:35] file,/restored_files/Templates/windows-950.txt,396840,396840,1464934586000,,1464935315686,1464935315697
[2016-06-03 14:28:36] Restore Completed Successfully

```

```
[2016-06-03 14:28:36] end,RESTORE_STOP_SUCCESS,0,0,0,,0,0
```

3. Verify the files are restored on the machine.

```
# ls -la /restored_files/Templates/
total 1852
drwxr-xr-x. 2 root root 4096 Jun 3 14:28 .
drwxr-xr-x. 4 root root 4096 Jun 3 14:28 ..
-rw-r--r--. 1 root root 9525 Jun 3 14:16 windows-1250.txt
-rw-r--r--. 1 root root 9200 Jun 3 14:16 windows-1251.txt
-rw-r--r--. 1 root root 9350 Jun 3 14:16 windows-1252.txt
-rw-r--r--. 1 root root 8933 Jun 3 14:16 windows-1253.txt
-rw-r--r--. 1 root root 9341 Jun 3 14:16 windows-1254.txt
-rw-r--r--. 1 root root 8299 Jun 3 14:16 windows-1255.txt
-rw-r--r--. 1 root root 8652 Jun 3 14:16 windows-1256.txt
-rw-r--r--. 1 root root 9213 Jun 3 14:16 windows-1257.txt
-rw-r--r--. 1 root root 9203 Jun 3 14:16 windows-1258.txt
-rw-r--r--. 1 root root 347941 Jun 3 14:16 windows-1361.txt
-rw-r--r--. 1 root root 8434 Jun 3 14:16 windows-874.txt
-rw-r--r--. 1 root root 188080 Jun 3 14:16 windows-932.txt
-rw-r--r--. 1 root root 481440 Jun 3 14:16 windows-936.txt
-rw-r--r--. 1 root root 347360 Jun 3 14:16 windows-949.txt
-rw-r--r--. 1 root root 396840 Jun 3 14:16 windows-950.txt
```

9 Technical Assistance

To contact Ahsay support representatives for technical assistance, visit the following website:

<https://www.ahsay.com/jsp/en/contact/kbQuestion.jsp>

Also use the Ahsay Knowledge Base for resource such as Hardware Compatibility List, Software Compatibility List, and other product information:

<https://forum.ahsay.com>

10 Documentation

Documentations for all Ahsay products are available at:

https://www.ahsay.com/jsp/en/home/index.jsp?pageContentKey=ahsay_downloads_documentation_guides

You can send us suggestions for improvements or report on issues in the documentation, by contacting us at:

<https://www.ahsay.com/jsp/en/contact/kbQuestion.jsp>

Please specify the specific document title as well as the change required / suggestion when contacting us.

Appendix

Appendix A File Backup Set XML Template (Raw)

```
<?xml version="1.0" encoding="UTF-8"?>
<Setting>
  <!-- This is the backup set setting -->
  <Key name="Backup Set Setting">
    <!-- Backup set type (Read Only) -->
    <Value data="FILE" name="Type" type="string" />
    <!-- Backup set name -->
    <Value data="" name="Name" type="string" />
    <!-- Temporary directory for storing backup files -->
    <Value data="" name="Temporary Working Directory"
type="string" />
    <!-- Remove temporary files after backup -->
    <!-- Y: Yes -->
    <!-- N: No -->
    <Value data="Y" name="Delete temporary files after backup"
type="boolean" />
    <!-- Select compression type -->
    <!-- GzipDefaultCompression : Normal -->
    <!-- GzipBestSpeedCompression: Fast (Compressed size larger
than normal) -->
    <!-- Leave the field blank for no compression -->
    <Value data="" name="Compression Type" type="string" />
    <!-- Backup files' permissions -->
    <!-- Y: Yes -->
    <!-- N: No -->
    <Value data="Y" name="Upload files permission" type="boolean" />
    <!-- Follow link of the backup files -->
    <!-- Y: Yes -->
    <!-- N: No -->
    <Value data="Y" name="Follow links" type="boolean" />
    <!-- This includes the files you want to backup -->
    <!-- Copy and paste the whole <Key> to add more selected
sources -->
    <Key name="Selected Source">
      <!-- Please enter your file path, e.g. /root/Documents -->
      <Value data="" name="Path" type="string" />
    </Key>
    <!-- This excludes the files from the included source -->
    <!-- Copy and paste the whole <Key> to add more deselected
sources -->
    <Key name="Deselected Source">
      <!-- Please enter your file path, e.g. /root/Documents -->
      <Value data="" name="Path" type="string" />
    </Key>
    <!-- Settings for your scheduled backups -->
    <Key name="Schedule Settings">
      <!-- Enable scheduled backup on this computer -->
      <!-- Y: Yes -->
      <!-- N: No -->
      <Value data="N" name="Enable" type="boolean" />
      <!-- Daily settings -->
      <!-- Copy and paste the whole <Key> to add more daily
schedules -->
      <Key name="Daily Schedule Settings">
        <!-- Name of schedule -->
```

```

<Value data="Daily-Schedule" name="Name" type="string"
/>
<!-- Start hour -->
<!-- 0, 1, 2... 23 -->
<Value data="21" name="Hour" type="integer" />
<!-- Start minute -->
<!-- 0, 1, 2... 59 -->
<Value data="0" name="Minute" type="integer" />
<!-- Duration of this backup in hours -->
<!-- 1, 2, 3... -->
<!-- A value of -1 means run until job finish -->
<Value data="-1" name="Duration" type="integer" />
</Key>
<!-- Weekly settings -->
<!-- Copy and paste the whole <Key> to add more weekly
schedules -->
<Key name="Weekly Schedule Settings">
  <!-- Name of schedule -->
  <Value data="Weekly-Schedule" name="Name" type="string"
/>
  <!-- Start hour -->
  <!-- 0, 1, 2... 23 -->
  <Value data="21" name="Hour" type="integer" />
  <!-- Start minute -->
  <!-- 0, 1, 2... 59 -->
  <Value data="0" name="Minute" type="integer" />
  <!-- Duration of this backup in hours -->
  <!-- 1, 2, 3... -->
  <!-- A value of -1 means run until job finish -->
  <Value data="-1" name="Duration" type="integer" />
  <!-- Backup on these days of the week -->
  <!-- Y: Yes -->
  <!-- N: No -->
  <Value data="Y" name="Sunday" type="boolean" />
  <Value data="Y" name="Monday" type="boolean" />
  <Value data="Y" name="Tuesday" type="boolean" />
  <Value data="Y" name="Wednesday" type="boolean" />
  <Value data="Y" name="Thursday" type="boolean" />
  <Value data="Y" name="Friday" type="boolean" />
  <Value data="Y" name="Saturday" type="boolean" />
</Key>
<!-- Monthly settings -->
<!-- Copy and paste the whole <Key> to add more monthly
schedules -->
<Key name="Monthly Schedule Settings">
  <!-- Name of schedule -->
  <Value data="Monthly-Schedule" name="Name"
type="string" />
  <!-- Start hour -->
  <!-- 0, 1, 2... 23 -->
  <Value data="21" name="Hour" type="integer" />
  <!-- Start minute -->
  <!-- 0, 1, 2... 59 -->
  <Value data="0" name="Minute" type="integer" />
  <!-- Duration of this backup in hours -->
  <!-- 1, 2, 3... -->
  <!-- A value of -1 means run until job finish -->
  <Value data="-1" name="Duration" type="integer" />
  <!-- Schedule date of month -->
  <!-- 1, 2, 3... 31 -->
  <!-- 32: Last -->

```

```

        <!-- Set to 0 if you want to use the format of
        occurrence + criteria, e.g. Third Wednesday, instead -->
    >
    <Value data="1" name="Schedule Date" type="integer" />
    <!-- Backup occurrence -->
    <!-- First / Second / Third / Fourth / Last -->
    <!-- If "Schedule Date" is not zero, this value will be
    ignored -->
    <Value data="First" name="Occurrence" type="string" />
    <!-- Backup criteria -->
    <!-- Sunday / Monday / Tuesday / Wednesday / Thursday /
    Friday / Saturday / Weekday / Weekend -->
    <!-- If "Schedule Date" is not zero, this value will be
    ignored -->
    <Value data="Friday" name="Criteria" type="string" />
</Key>
<!-- Custom settings -->
<!-- Copy and paste the whole <Key> to add more custom
schedules -->
<Key name="Custom Schedule Settings">
    <!-- Name of schedule -->
    <Value data="Custom" name="Name" type="string" />
    <!-- Start hour -->
    <!-- 0, 1, 2... 23 -->
    <Value data="21" name="Hour" type="integer" />
    <!-- Start minute -->
    <!-- 0, 1, 2... 59 -->
    <Value data="0" name="Minute" type="integer" />
    <!-- Duration of this backup in hours -->
    <!-- 1, 2, 3... -->
    <!-- A value of -1 means run until job finish -->
    <Value data="-1" name="Duration" type="integer" />
    <!-- Date for performing custom schedule backup -->
    <!-- Input in the format of YYYY-MM-DD -->
    <Value data="2016-4-30" name="Schedule Date"
    type="string" />
</Key>
</Key>
<!-- This is the collection of destinations -->
<Key name="Destination Settings">
    <!-- Concurrency level is the number of destinations to run
    backup concurrently -->
    <!-- 2, 3, 4... -->
    <!-- 1 : Backup to destinations one by one sequentially -->
    <!-- -1: Backup to all destinations concurrently -->
    <Value data="1" name="Concurrency Level" type="integer" />
    <!-- AhsayCBS destination is where the files are backup to
    server -->
    <Key name="AhsayCBS Destination Settings">
</Key>
    <!-- Local destination means backup files are stored in
    your computer -->
    <!-- Copy and paste the whole <Key> to add more local
    destinations -->
    <Key name="Local Destination Settings">
        <!-- Name of your destination -->
        <Value data="" name="Name" type="string" />
        <!-- Directory to store your backup files -->
        <!-- e.g. /tmp -->
        <Value data="" name="Local Path" type="string" />
    </Key>
</Key>

```

```

<!-- Aliyun destination for storing files -->
<!-- Copy and paste the whole <Key> to add more Aliyun
destinations -->
<Key name="Aliyun Destination Settings">
  <!-- Name of your destination -->
  <Value data="" name="Name" type="string" />
  <!-- Access key ID -->
  <Value data="" name="Access Key ID" type="string" />
  <!-- Access key secret -->
  <Value data="" name="Access Key Secret" type="string"
/>
  <!-- Region -->
  <!-- oss-cn-hangzhou      : Hangzhou -->
  <!-- oss-cn-shenzhen     : Shenzhen -->
  <!-- oss-cn-beijing      : Beijing -->
  <!-- oss-cn-qingdao      : Qingdao -->
  <!-- oss-cn-shanghai     : Shanghai -->
  <!-- oss-cn-hongkong     : Hong Kong -->
  <!-- oss-us-west-1       : US Silicon Valley -->
  <!-- oss-ap-southeast-1 : Asia Pacific (Singapore) -->
  <Value data="" name="Region" type="string" />
  <!-- Bucket to store backup data -->
  <!-- Leave the field empty to use default -->
  <Value data="" name="Bucket Name" type="string" />
  <!-- Select whether to use proxy -->
  <!-- Y: Yes -->
  <!-- N: No -->
  <Value data="N" name="Enable proxy during backup"
type="boolean" />
</Key>
<!-- CTYun destination for storing files -->
<!-- Copy and paste the whole <Key> to add more CTYun
destinations -->
<Key name="CTYun Destination Settings">
  <!-- Name of your destination -->
  <Value data="" name="Name" type="string" />
  <!-- Access key ID -->
  <Value data="" name="Access Key ID" type="string" />
  <!-- Access secret key -->
  <Value data="" name="Access Secret Key" type="string"
/>
  <!-- Select whether to use proxy -->
  <!-- Y: Yes -->
  <!-- N: No -->
  <Value data="N" name="Enable proxy during backup"
type="boolean" />
</Key>
<!-- AmazonS3 destination for storing files -->
<!-- Copy and paste the whole <Key> to add more AmazonS3
destinations -->
<Key name="AmazonS3 Destination Settings">
  <!-- Name of your destination -->
  <Value data="" name="Name" type="string" />
  <!-- Access key ID -->
  <Value data="" name="Access Key ID" type="string" />
  <!-- Secret access key -->
  <Value data="" name="Secret Access Key" type="string"
/>
  <!-- Location -->
  <!-- us-east-1          : US East (N. Virginia) -->
  <!-- us-west-2          : US West (Oregon) -->

```

```

<!-- us-west-1      : US West (Northern California) -->
<!-- eu-west-1      : EU (Ireland) -->
<!-- eu-central-1   : EU (Frankfurt) -->
<!-- ap-southeast-1 : Asia Pacific (Singapore) -->
<!-- ap-northeast-1 : Asia Pacific (Tokyo) -->
<!-- ap-southeast-2 : Asia Pacific (Sydney) -->
<!-- sa-east-1      : South America (Sao Paulo) -->
<!-- us-gov-west-1  : AWS GovCloud (US) -->
<!-- cn-north-1     : China (Beijing) -->
<!-- ap-northeast-2 : Asia Pacific (Seoul) -->
<Value data="" name="Location" type="string" />
<!-- Select whether to use proxy -->
<!-- Y: Yes -->
<!-- N: No -->
<Value data="N" name="Enable proxy during backup"
type="boolean" />
</Key>
<!-- AWSCompatible destination for storing files -->
<!-- Copy and paste the whole <Key> to add more
AWSCompatible destinations -->
<Key name="AWSCompatible Destination Settings">
  <!-- Name of your destination -->
  <Value data="" name="Name" type="string" />
  <!-- Host -->
  <Value data="" name="Host" type="string" />
  <!-- Port -->
  <Value data="0" name="Port" type="integer" />
  <!-- Access key ID -->
  <Value data="" name="Access Key ID" type="string" />
  <!-- Secret access key -->
  <Value data="" name="Secret Access Key" type="string"
/>
  <!-- Bucket to store backup data (please create this
bucket manually first) -->
  <Value data="" name="Bucket Name" type="string" />
  <!-- Select whether to use proxy -->
  <!-- Y: Yes -->
  <!-- N: No -->
  <Value data="N" name="Enable proxy during backup"
type="boolean" />
</Key>
<!-- GoogleCloudStorage destination for storing files -->
<!-- Copy and paste the whole <Key> to add more
GoogleCloudStorage destinations -->
<Key name="GoogleCloudStorage Destination Settings">
  <!-- Name of your destination -->
  <Value data="" name="Name" type="string" />
  <!-- Access key -->
  <Value data="" name="Access Key" type="string" />
  <!-- Secret -->
  <Value data="" name="Secret" type="string" />
  <!-- Location -->
  <!-- US : United States -->
  <!-- EU : European Union -->
  <!-- ASIA: Asia -->
  <Value data="" name="Location" type="string" />
  <!-- Select whether to use proxy -->
  <!-- Y: Yes -->
  <!-- N: No -->
  <Value data="N" name="Enable proxy during backup"
type="boolean" />

```

```

</Key>
<!-- Windows Azure destination for storing files -->
<!-- Copy and paste the whole <Key> to add more Windows
Azure destinations -->
<Key name="Windows Azure Destination Settings">
  <!-- Name of your destination -->
  <Value data="" name="Name" type="string" />
  <!-- Storage account name -->
  <Value data="" name="Storage Account Name"
type="string" />
  <!-- Access key -->
  <Value data="" name="Access Key" type="string" />
</Key>
<!-- Rackspace destination for storing files -->
<!-- Copy and paste the whole <Key> to add more Rackspace
destinations -->
<Key name="Rackspace Destination Settings">
  <!-- Name of your destination -->
  <Value data="" name="Name" type="string" />
  <!-- Username -->
  <Value data="" name="Username" type="string" />
  <!-- API key -->
  <Value data="" name="API Key" type="string" />
  <!-- Select whether to use proxy -->
  <!-- Y: Yes -->
  <!-- N: No -->
  <Value data="N" name="Enable proxy during backup"
type="boolean" />
</Key>
<!-- OpenStack destination for storing files -->
<!-- Copy and paste the whole <Key> to add more OpenStack
destinations -->
<Key name="OpenStack Destination Settings">
  <!-- Name of your destination -->
  <Value data="" name="Name" type="string" />
  <!-- Host -->
  <Value data="" name="Host" type="string" />
  <!-- Keystone public port -->
  <Value data="5000" name="Keystone Public Port"
type="integer" />
  <!-- Username -->
  <Value data="" name="Username" type="string" />
  <!-- Password -->
  <Value data="" name="Password" type="string" />
  <!-- Select whether to use proxy -->
  <!-- Y: Yes -->
  <!-- N: No -->
  <Value data="N" name="Enable proxy during backup"
type="boolean" />
</Key>
<!-- FTP destination for storing files -->
<!-- Copy and paste the whole <Key> to add more FTP
destinations -->
<Key name="FTP Destination Settings">
  <!-- Name of your destination -->
  <Value data="" name="Name" type="string" />
  <!-- Host -->
  <Value data="" name="Host" type="string" />
  <!-- Port -->
  <Value data="0" name="Port" type="integer" />
  <!-- Username -->

```

```

        <Value data="" name="Username" type="string" />
        <!-- Password -->
        <Value data="" name="Password" type="string" />
        <!-- FTP directory to store backup data -->
        <!-- Leave the field empty to store to ~/Ahsay -->
        <Value data="" name="Directory" type="string" />
        <!-- Select whether to use proxy -->
        <!-- Y: Yes -->
        <!-- N: No -->
        <Value data="N" name="Enable proxy during backup"
            type="boolean" />
    </Key>
</Key>
<!-- This shows the in-file delta setting -->
<Key name="In-file Delta Setting">
    <!-- Enable in-file delta backup -->
    <!-- Y: Yes -->
    <!-- N: No -->
    <Value data="Y" name="Enable" type="boolean" />
    <!-- Default in-file delta type -->
    <!-- D: Differential -->
    <!-- I: Incremental -->
    <Value data="" name="Default Delta Type" type="string" />
</Key>
</Key>
</Setting>

```

Appendix B File Backup Set XML Template (with explanation)

This appendix explains all configurable items with their available options, highlighted in red, in this file backup set XML scripts.

Backup Set Setting

The following items define the basic configurations of the file backup set.

- ❶ **Backup set type** – enter the backup set type, for instance, File, MySQL etc.
- ❷ **Backup set name** – name your backup set.
- ❸ **Temporary directory for storing backup files** – Enter the directory path where you would like to have the backup files stored temporarily. The temporary directory is used for various purposes, such as storage of temporary spooled file (for database specific backup type in AhsayOBM), remote file list, local file list, temporary delta file and other files of temporary nature.
- ❹ **Remove temporary files after backup** – choose whether to remove temporary files after you finish backup.
- ❺ **Select compression type** – choose the backup compression mode among Normal, Fast or No compression.
- ❻ **Backup files' permissions** – choose whether to backup operating system file permission of the data selected as backup source.
- ❼ **Follow link of the backup files** – choose whether to follow an NTFS junction point or NTFS symbolic link during backup. When the follow link option is enabled, not only is the symbolic link or junction point backed up, but directories and files that the junction point links to will also be backed up.

```
<?xml version="1.0" encoding="UTF-8"?>
<Setting>
<!-- This is the backup set setting -->
  <Key name="Backup Set Setting">
    <!-- Backup set type (Read Only) -->
    <Value data="FILE" name="Type" type="string" />
    <!-- Backup set name -->
    <Value data="" name="Name" type="string" />
    <!-- Temporary directory for storing backup files -->
    <Value data="" name="Temporary Working Directory"
    type="string" />
    <!-- Remove temporary files after backup -->
    <!-- Y: Yes -->
    <!-- N: No -->
    <Value data="Y" name="Delete temporary files after backup"
    type="boolean" />
    <!-- Select compression type -->
    <!-- GzipDefaultCompression : Normal -->
    <!-- GzipBestSpeedCompression: Fast (Compressed size larger
    than normal) -->
    <!-- Leave the field blank for no compression -->
    <Value data="" name="Compression Type" type="string" />
    <!-- Backup files' permissions -->
    <!-- Y: Yes -->
    <!-- N: No -->
    <Value data="Y" name="Upload files permission" type="boolean" />
    <!-- Follow link of the backup files -->
```

```
<!-- Y: Yes -->
<!-- N: No -->
<Value data="Y" name="Follow links" type="boolean" />
```

Selected Source

- Enter the file path where the files you would like to backup are located.

```
<!-- This includes the files you want to backup -->
<!-- Copy and paste the whole <Key> to add more selected
sources -->
<Key name="Selected Source">
  <!-- Please enter your file path, e.g. /root/Documents -->
  <Value data="" name="Path" type="string" />
</Key>
```

Deselected Source

- Enter the file path where files you would like to exclude from the backup.

```
<!-- This excludes the files from the included source -->
<!-- Copy and paste the whole <Key> to add more deselected
sources -->
<Key name="Deselected Source">
  <!-- Please enter your file path, e.g. /root/Documents -->
  <Value data="" name="Path" type="string" />
</Key>
```

Schedule Settings

- Choose whether you would like backup jobs to be run at the scheduled time you set.

```
<!-- Settings for your scheduled backups -->
<Key name="Schedule Settings">
  <!-- Enable scheduled backup on this computer -->
  <!-- Y: Yes -->
  <!-- N: No -->
  <Value data="N" name="Enable" type="boolean" />
```

Daily Schedule Settings

Set backup jobs to run daily at the time you specified.

- Start hour** – the starting hour of the backup, from 0-23.
- Start minute** – the starting minute of the backup, from 0-59.
- Duration of this backup in hours** – for how long, in hours, you would like this backup to run. Set to -1 if you would like the backup job to run until it finishes.

```
<!-- Daily settings -->
<!-- Copy and paste the whole <Key> to add more daily
schedules -->
<Key name="Daily Schedule Settings">
  <!-- Name of schedule -->
  <Value data="Daily-Schedule" name="Name" type="string"
  />
  <!-- Start hour -->
  <!-- 0, 1, 2... 23 -->
  <Value data="21" name="Hour" type="integer" />
  <!-- Start minute -->
  <!-- 0, 1, 2... 59 -->
  <Value data="0" name="Minute" type="integer" />
```

```

    <!-- Duration of this backup in hours -->
    <!-- 1, 2, 3... -->
    <!-- A value of -1 means run until job finish -->
    <Value data="-1" name="Duration" type="integer" />
  </Key>

```

Weekly Schedule Settings

Set backup jobs to run weekly at the time you specified.

- 🔵 **Start hour** – the starting hour of the backup, from 0-23.
- 🔵 **Start minute** – the starting minute of the backup, from 0-59.
- 🔵 **Duration of this backup in hours** – the duration you would like this backup to perform, in hours. Set to -1 if you would like the backup job to run until it finishes.
- 🔵 **Backup on these days of the week** – choose to enable or disable backup on each day in week.

```

<!-- Weekly settings -->
<!-- Copy and paste the whole <Key> to add more weekly
schedules -->
<Key name="Weekly Schedule Settings">
  <!-- Name of schedule -->
  <Value data="Weekly-Schedule" name="Name" type="string"
  />
  <!-- Start hour -->
  <!-- 0, 1, 2... 23 -->
  <Value data="21" name="Hour" type="integer" />
  <!-- Start minute -->
  <!-- 0, 1, 2... 59 -->
  <Value data="0" name="Minute" type="integer" />
  <!-- Duration of this backup in hours -->
  <!-- 1, 2, 3... -->
  <!-- A value of -1 means run until job finish -->
  <Value data="-1" name="Duration" type="integer" />
  <!-- Backup on these days of the week -->
  <!-- Y: Yes -->
  <!-- N: No -->
  <Value data="Y" name="Sunday" type="boolean" />
  <Value data="Y" name="Monday" type="boolean" />
  <Value data="Y" name="Tuesday" type="boolean" />
  <Value data="Y" name="Wednesday" type="boolean" />
  <Value data="Y" name="Thursday" type="boolean" />
  <Value data="Y" name="Friday" type="boolean" />
  <Value data="Y" name="Saturday" type="boolean" />
</Key>

```

Monthly Schedule Settings

Set backup jobs to run monthly at the time you specified.

- 🔵 **Start hour** – the starting hour of the backup, from 0-23.
- 🔵 **Start minute** – the starting minute of the backup, from 0-59.
- 🔵 **Duration of this backup in hours** – the duration you would like this backup to perform, in hours. Set to -1 if you would like the backup job to run until it finishes.
- 🔵 **Schedule date of month** – set exact date in a month when you would like the backup to perform. Set to 0 if you would like the backup performed in a specified occurrence + criteria format, e.g. the third Wednesday in month.

• Backup [Occurrence + Criteria] format

You can set the backup to perform on a specified week (**Occurrence, First / Second / Third / Last**) and on a specified day of the week (**Criteria, Sun thru Sat**), for instance, the third Wednesday in a month.

- **Backup occurrence** – set the week, i.e., First / Second / Third / Last. If you have set an exact date in the previous “Schedule date of month” configuration, this setting will be ignored.
- **Backup criteria** – set a day of the week, i.e., Sunday thru Saturday. If you have set an exact date in the previous “Schedule date of month” configuration, this setting will be ignored.

```
<!-- Monthly settings -->
<!-- Copy and paste the whole <Key> to add more monthly
schedules -->
<Key name="Monthly Schedule Settings">
  <!-- Name of schedule -->
  <Value data="Monthly-Schedule" name="Name"
type="string" />
  <!-- Start hour -->
  <!-- 0, 1, 2... 23 -->
  <Value data="21" name="Hour" type="integer" />
  <!-- Start minute -->
  <!-- 0, 1, 2... 59 -->
  <Value data="0" name="Minute" type="integer" />
  <!-- Duration of this backup in hours -->
  <!-- 1, 2, 3... -->
  <!-- A value of -1 means run until job finish -->
  <Value data="-1" name="Duration" type="integer" />
  <!-- Schedule date of month -->
  <!-- 1, 2, 3... 31 -->
  <!-- 32: Last -->
  <!-- Set to 0 if you want to use the format of
occurrence + criteria, e.g. Third Wednesday, instead --
>
  <Value data="1" name="Schedule Date" type="integer" />
  <!-- Backup occurrence -->
  <!-- First / Second / Third / Fourth / Last -->
  <!-- If "Schedule Date" is not zero, this value will be
ignored -->
  <Value data="First" name="Occurrence" type="string" />
  <!-- Backup criteria -->
  <!-- Sunday / Monday / Tuesday / Wednesday / Thursday /
Friday / Saturday / Weekday / Weekend -->
  <!-- If "Schedule Date" is not zero, this value will be
ignored -->
  <Value data="Friday" name="Criteria" type="string" />
</Key>
```

Custom Schedule Settings

Set backup jobs to run at the date and time you specified.

- **Start hour** – the starting hour of the backup, from 0-23.
- **Start minute** – the starting minute of the backup, from 0-59.
- **Duration of this backup in hours** – the duration you would like this backup to perform, in hours. Set to -1 if you would like the backup job to run until it finishes.

- **Date for performing custom schedule backup** - enter a specific date when you would like the backup to perform. The date format should be in YYYY-MM-DD.

```
<!-- Custom settings -->
<!-- Copy and paste the whole <Key> to add more custom
schedules -->
<Key name="Custom Schedule Settings">
  <!-- Name of schedule -->
  <Value data="Custom" name="Name" type="string" />
  <!-- Start hour -->
  <!-- 0, 1, 2... 23 -->
  <Value data="21" name="Hour" type="integer" />
  <!-- Start minute -->
  <!-- 0, 1, 2... 59 -->
  <Value data="0" name="Minute" type="integer" />
  <!-- Duration of this backup in hours -->
  <!-- 1, 2, 3... -->
  <!-- A value of -1 means run until job finish -->
  <Value data="-1" name="Duration" type="integer" />
  <!-- Date for performing custom schedule backup -->
  <!-- Input in the format of YYYY-MM-DD -->
  <Value data="2016-4-30" name="Schedule Date"
type="string" />
</Key>
</Key>
```

Destination Settings

- **Concurrency level** – set the number of destinations to run backup job concurrently
- **AhsayCBS Destination Settings** – this option allows backup files to be stored on the server
- **Local Destination Settings** – this option allows backup files to be stored in your local computer. Enter the directory path where you would like the backup files to be stored.

```
<!-- This is the collection of destinations -->
<Key name="Destination Settings">
  <!-- Concurrency level is the number of destinations to run
backup concurrently -->
  <!-- 2, 3, 4... -->
  <!-- 1 : Backup to destinations one by one sequentially -->
  <!-- -1: Backup to all destinations concurrently -->
  <Value data="1" name="Concurrency Level" type="integer" />
  <!-- AhsayCBS destination is where the files are backup to
server -->
  <Key name="AhsayCBS Destination Settings">
  </Key>
  <!-- Local destination means backup files are stored in
your computer -->
  <!-- Copy and paste the whole <Key> to add more local
destinations -->
  <Key name="Local Destination Settings">
    <!-- Name of your destination -->
    <Value data="" name="Name" type="string" />
    <!-- Directory to store your backup files -->
    <!-- e.g. /tmp -->
    <Value data="" name="Local Path" type="string" />
  </Key>
</Key>
```

- **Aliyun Destination Settings** – if you are using Aliyun as your backup destination, configure the login and network settings in this section.

```
<!-- Aliyun destination for storing files -->
<!-- Copy and paste the whole <Key> to add more Aliyun
destinations -->
<Key name="Aliyun Destination Settings">
  <!-- Name of your destination -->
  <Value data="" name="Name" type="string" />
  <!-- Access key ID -->
  <Value data="" name="Access Key ID" type="string" />
  <!-- Access key secret -->
  <Value data="" name="Access Key Secret" type="string"
/>
  <!-- Region -->
  <!-- oss-cn-hangzhou      : Hangzhou -->
  <!-- oss-cn-shenzhen     : Shenzhen -->
  <!-- oss-cn-beijing      : Beijing -->
  <!-- oss-cn-qingdao      : Qingdao -->
  <!-- oss-cn-shanghai     : Shanghai -->
  <!-- oss-cn-hongkong     : Hong Kong -->
  <!-- oss-us-west-1       : US Silicon Valley -->
  <!-- oss-ap-southeast-1 : Asia Pacific (Singapore) -->
  <Value data="" name="Region" type="string" />
  <!-- Bucket to store backup data -->
  <!-- Leave the field empty to use default -->
  <Value data="" name="Bucket Name" type="string" />
  <!-- Select whether to use proxy -->
  <!-- Y: Yes -->
  <!-- N: No -->
  <Value data="N" name="Enable proxy during backup"
type="boolean" />
</Key>
```

- **CTYun Destination Settings** – if you are using CTYun as your backup destination, configure the login and network settings in this section.

```
<!-- CTYun destination for storing files -->
<!-- Copy and paste the whole <Key> to add more CTYun
destinations -->
<Key name="CTYun Destination Settings">
  <!-- Name of your destination -->
  <Value data="" name="Name" type="string" />
  <!-- Access key ID -->
  <Value data="" name="Access Key ID" type="string" />
  <!-- Access secret key -->
  <Value data="" name="Access Secret Key" type="string"
/>
  <!-- Select whether to use proxy -->
  <!-- Y: Yes -->
  <!-- N: No -->
  <Value data="N" name="Enable proxy during backup"
type="boolean" />
</Key>
```

- **AmazonS3 Destination Settings** – if you are using AmazonS3 as your backup destination, configure the login and network settings in this section.

```
<!-- AmazonS3 destination for storing files -->
<!-- Copy and paste the whole <Key> to add more AmazonS3
destinations -->
```

```

<Key name="AmazonS3 Destination Settings">
  <!-- Name of your destination -->
  <Value data="" name="Name" type="string" />
  <!-- Access key ID -->
  <Value data="" name="Access Key ID" type="string" />
  <!-- Secret access key -->
  <Value data="" name="Secret Access Key" type="string" />
  <!-- Location -->
  <!-- us-east-1      : US East (N. Virginia) -->
  <!-- us-west-2      : US West (Oregon) -->
  <!-- us-west-1      : US West (Northern California) -->
  <!-- eu-west-1       : EU (Ireland) -->
  <!-- eu-central-1    : EU (Frankfurt) -->
  <!-- ap-southeast-1 : Asia Pacific (Singapore) -->
  <!-- ap-northeast-1 : Asia Pacific (Tokyo) -->
  <!-- ap-southeast-2 : Asia Pacific (Sydney) -->
  <!-- sa-east-1       : South America (Sao Paulo) -->
  <!-- us-gov-west-1  : AWS GovCloud (US) -->
  <!-- cn-north-1      : China (Beijing) -->
  <!-- ap-northeast-2 : Asia Pacific (Seoul) -->
  <Value data="" name="Location" type="string" />
  <!-- Select whether to use proxy -->
  <!-- Y: Yes -->
  <!-- N: No -->
  <Value data="N" name="Enable proxy during backup" type="boolean" />
</Key>

```

- **AWSCompatible Destination Settings** – if you are using AWSCompatible as your backup destination, configure the login and network settings in this section.

```

<!-- AWSCompatible destination for storing files -->
<!-- Copy and paste the whole <Key> to add more AWSCompatible destinations -->
<Key name="AWSCompatible Destination Settings">
  <!-- Name of your destination -->
  <Value data="" name="Name" type="string" />
  <!-- Host -->
  <Value data="" name="Host" type="string" />
  <!-- Port -->
  <Value data="0" name="Port" type="integer" />
  <!-- Access key ID -->
  <Value data="" name="Access Key ID" type="string" />
  <!-- Secret access key -->
  <Value data="" name="Secret Access Key" type="string" />
  <!-- Bucket to store backup data (please create this bucket manually first) -->
  <Value data="" name="Bucket Name" type="string" />
  <!-- Select whether to use proxy -->
  <!-- Y: Yes -->
  <!-- N: No -->
  <Value data="N" name="Enable proxy during backup" type="boolean" />
</Key>

```

- **GoogleCloudStorage Destination Settings** – if you are using GoogleCloudStorage as your backup destination, configure the login and network settings in this section.

```
<!-- GoogleCloudStorage destination for storing files -->
<!-- Copy and paste the whole <Key> to add more
GoogleCloudStorage destinations -->
<Key name="GoogleCloudStorage Destination Settings">
  <!-- Name of your destination -->
  <Value data="" name="Name" type="string" />
  <!-- Access key -->
  <Value data="" name="Access Key" type="string" />
  <!-- Secret -->
  <Value data="" name="Secret" type="string" />
  <!-- Location -->
  <!-- US : United States -->
  <!-- EU : European Union -->
  <!-- ASIA: Asia -->
  <Value data="" name="Location" type="string" />
  <!-- Select whether to use proxy -->
  <!-- Y: Yes -->
  <!-- N: No -->
  <Value data="N" name="Enable proxy during backup"
type="boolean" />
</Key>
```

- **Windows Azure Destination Settings** – if you are using Windows Azure as your backup destination, configure the login and network settings in this section.

```
<!-- Windows Azure destination for storing files -->
<!-- Copy and paste the whole <Key> to add more Windows
Azure destinations -->
<Key name="Windows Azure Destination Settings">
  <!-- Name of your destination -->
  <Value data="" name="Name" type="string" />
  <!-- Storage account name -->
  <Value data="" name="Storage Account Name"
type="string" />
  <!-- Access key -->
  <Value data="" name="Access Key" type="string" />
</Key>
<!-- Rackspace destination for storing files -->
<!-- Copy and paste the whole <Key> to add more Rackspace
destinations -->
<Key name="Rackspace Destination Settings">
  <!-- Name of your destination -->
  <Value data="" name="Name" type="string" />
  <!-- Username -->
  <Value data="" name="Username" type="string" />
  <!-- API key -->
  <Value data="" name="API Key" type="string" />
  <!-- Select whether to use proxy -->
  <!-- Y: Yes -->
  <!-- N: No -->
  <Value data="N" name="Enable proxy during backup"
type="boolean" />
</Key>
```

- **OpenStack Destination Settings** – if you are using OpenStack as your backup destination, configure the login and network settings in this section.

```
<!-- OpenStack destination for storing files -->
<!-- Copy and paste the whole <Key> to add more OpenStack
destinations -->
<Key name="OpenStack Destination Settings">
  <!-- Name of your destination -->
  <Value data="" name="Name" type="string" />
  <!-- Host -->
  <Value data="" name="Host" type="string" />
  <!-- Keystone public port -->
  <Value data="5000" name="Keystone Public Port"
type="integer" />
  <!-- Username -->
  <Value data="" name="Username" type="string" />
  <!-- Password -->
  <Value data="" name="Password" type="string" />
  <!-- Select whether to use proxy -->
  <!-- Y: Yes -->
  <!-- N: No -->
  <Value data="N" name="Enable proxy during backup"
type="boolean" />
</Key>
```

- **FTP Destination Settings** – if you are using FTP as your backup destination, configure the login and network settings in this section.

```
<!-- FTP destination for storing files -->
<!-- Copy and paste the whole <Key> to add more FTP
destinations -->
<Key name="FTP Destination Settings">
  <!-- Name of your destination -->
  <Value data="" name="Name" type="string" />
  <!-- Host -->
  <Value data="" name="Host" type="string" />
  <!-- Port -->
  <Value data="0" name="Port" type="integer" />
  <!-- Username -->
  <Value data="" name="Username" type="string" />
  <!-- Password -->
  <Value data="" name="Password" type="string" />
  <!-- FTP directory to store backup data -->
  <!-- Leave the field empty to store to ~/Ahsay -->
  <Value data="" name="Directory" type="string" />
  <!-- Select whether to use proxy -->
  <!-- Y: Yes -->
  <!-- N: No -->
  <Value data="N" name="Enable proxy during backup"
type="boolean" />
</Key>
</Key>
```

In-file delta setting

In-File delta technology is an advanced data block matching algorithm with the intelligence to pick up changes (delta) of file content between two files. You can choose between **Differential** and **Incremental** in this setting.

- **Differential** - The delta is generated by comparing with the last uploaded full file only. Delta generated with this method will grow daily and uses more bandwidth. However, for restoration, the full file and a single delta is required to be restored and merged.
- **Incremental** - The delta is generated by comparing with the last uploaded full or delta file. Delta generated with this method is smaller and uses the least bandwidth. However, for restoration, the full file and all deltas chain up to the required point-in-time are required to be restored and merged. This is prone to data lost (e.g. broken delta chain).

```
<!-- This shows the in-file delta setting -->
<Key name="In-file Delta Setting">
  <!-- Enable in-file delta backup -->
  <!-- Y: Yes -->
  <!-- N: No -->
  <Value data="Y" name="Enable" type="boolean" />
  <!-- Default in-file delta type -->
  <!-- D: Differential -->
  <!-- I: Incremental -->
  <Value data="" name="Default Delta Type" type="string" />
</Key>
</Setting>
```

Appendix C Example File Backup Set Setting

Below are the configuration parameters of the file backup set sample.

Backup Set Name	b4
Temporary Working Directory	/tmp
Remove temporary files after backup	Yes
Compress Type	Fast
Backup file permissions	Yes
Follow Sym link	Yes
Daily schedule	10:00 PM run until completed
Destination	CBS
Backup Source	/Templates
Exclude	/root/.obm, /usr/local/obm, /tmp

***Configurable items are highlighted in red.**

```
<?xml version="1.0" encoding="UTF-8"?>
<Setting>
  <!-- This is the backup set setting -->
  <Key name="Backup Set Setting">
    <!-- Backup set type (Read Only) -->
    <Value data="FILE" name="Type" type="string" />
    <!-- Backup set name -->
    <Value data="b4" name="Name" type="string" />
    <!-- Temporary directory for storing backup files -->
    <Value data="/tmp" name="Temporary Working Directory" type="string" />
    <!-- Remove temporary files after backup -->
    <!-- Y: Yes -->
    <!-- N: No -->
    <Value data="Y" name="Delete temporary files after backup" type="boolean" />
    <!-- Select compression type -->
    <!-- GzipDefaultCompression : Normal -->
    <!-- GzipBestSpeedCompression: Fast (Compressed size larger than normal) -->
    <!-- Leave the field blank for no compression -->
    <Value data="GzipBestSpeedCompression" name="Compression Type" type="string" />
    <!-- Backup files' permissions -->
    <!-- Y: Yes -->
    <!-- N: No -->
    <Value data="Y" name="Upload files permission" type="boolean" />
    <!-- Follow link of the backup files -->
    <!-- Y: Yes -->
    <!-- N: No -->
    <Value data="Y" name="Follow links" type="boolean" />
    <!-- This includes the files you want to backup -->
    <!-- Copy and paste the whole <Key> to add more selected sources -->
    <Key name="Selected Source">
      <!-- Please enter your file path, e.g. /root/Documents -->
      <Value data="/Templates" name="Path" type="string" />
    </Key>
    <!-- This excludes the files from the included source -->
    <!-- Copy and paste the whole <Key> to add more deselected sources -->
    <Key name="Deselected Source">
      <!-- Please enter your file path, e.g. /root/Documents -->
```

```

        <Value data="/root/.obm" name="Path" type="string" />
    </Key>
    <Key name="Deselected Source">
        <!-- Please enter your file path, e.g. /root/Documents -->
        <Value data="/usr/local/obm" name="Path" type="string" />
    </Key>
    <Key name="Deselected Source">
        <!-- Please enter your file path, e.g. /root/Documents -->
        <Value data="/tmp " name="Path" type="string" />
    </Key>
    <!-- Settings for your scheduled backups -->
    <Key name="Schedule Settings">
        <!-- Enable scheduled backup on this computer -->
        <!-- Y: Yes -->
        <!-- N: No -->
        <Value data="Y" name="Enable" type="boolean" />
        <!-- Daily settings -->
        <!-- Copy and paste the whole <Key> to add more daily schedules -->
        <Key name="Daily Schedule Settings">
            <!-- Name of schedule -->
            <Value data="Daily-Schedule" name="Daily Linux File Backup"
            type="string" />
            <!-- Start hour -->
            <!-- 0, 1, 2... 23 -->
            <Value data="22" name="Hour" type="integer" />
            <!-- Start minute -->
            <!-- 0, 1, 2... 59 -->
            <Value data="0" name="Minute" type="integer" />
            <!-- Duration of this backup in hours -->
            <!-- 1, 2, 3... -->
            <!-- A value of -1 means run until job finish -->
            <Value data="-1" name="Duration" type="integer" />
        </Key>
    </Key>
    <!-- This is the collection of destinations -->
    <Key name="Destination Settings">
        <!-- Concurrency level is the number of destinations to run
        backup concurrently -->
        <!-- 2, 3, 4... -->
        <!-- 1 : Backup to destinations one by one sequentially -->
        <!-- -1: Backup to all destinations concurrently -->
        <Value data="1" name="Concurrency Level" type="integer" />
        <!-- AhsayCBS destination is where the files are backup to
server --
        >
        <Key name="AhsayCBS Destination Settings">
            </Key>
        </Key>
        <!-- This shows the in-file delta setting -->
        <Key name="In-file Delta Setting">
            <!-- Enable in-file delta backup -->
            <!-- Y: Yes -->
            <!-- N: No -->
            <Value data="Y" name="Enable" type="boolean" />
            <!-- Default in-file delta type -->
            <!-- D: Differential -->
            <!-- I: Incremental -->
            <Value data="I" name="Default Delta Type" type="string" />
        </Key>
    </Key>
</Setting>

```

Appendix D Uninstall AhsayOBM (rpm)

To uninstall AhsayOBM use the rpm -e command and then use the rm command to remove the remaining AhsayOBM files from the machine.

```
# rpm -e obm
Log Time: Mon Jun 27 11:38:23 HKT 2016

Verifying current user privilege ...
Current user has enough privilege to "uninstall".

Uninstall Ahsay Online Backup Manager from /usr/local/obm

Shutting down Scheduler
Wait 5 seconds before Scheduler exits
Kill running Ahsay Online Backup Manager
Kill Process by Image Name: /usr/local/obm/jvm/bin/bJW
Ignore Process by Image Name:
Kill Process by Image Name: /usr/local/obm/jvm/bin/bschJW
Ignore Process by Image Name:
Kill Process by Image Name: /usr/local/obm/jvm/bin/java
Ignore Process by Image Name:
Removing Scheduler script obmscheduler from service
Uninstall Service for NIX type OS
Using init script path /etc/init.d
Using run level script path /etc/rc.d
Removing symbolic link from run levels
Removing script file obmscheduler from /etc/init.d
Remove shortcut /usr/share/applications/obm.desktop
Remove shortcut /root/Desktop/obm.desktop
Ahsay Online Backup Manager uninstall procedure is complete!
It is now safe to remove files from /usr/local/obm
    Remove files in /usr/local/obm

# rm -fr /usr/local/obm
```

Appendix E Uninstall AhsayOBM (sh)

To uninstall AhsayOBM use the uninstall.sh script and then use the rm command to remove the remaining AhsayOBM files from the machine.

```
# /usr/local/obm/bin
# sh uninstall.sh
Log Time: Mon Jun 27 11:52:03 HKT 2016

Verifying current user privilege ...
Current user has enough privilege to "uninstall".

Uninstall Ahsay Online Backup Manager from /usr/local

Shutting down Scheduler
Wait 5 seconds before Scheduler exits
Kill running Ahsay Online Backup Manager
Kill Process by Image Name: /usr/local/jvm/bin/bJW
Ignore Process by Image Name:
Kill Process by Image Name: /usr/local/jvm/bin/bschJW
Ignore Process by Image Name:
Kill Process by Image Name: /usr/local/jvm/bin/java
Ignore Process by Image Name:
Removing Scheduler script obmscheduler from service
Uninstall Service for NIX type OS
Using init script path /etc/init.d
Using run level script path /etc/rc.d
Removing symbolic link from run levels
Removing script file obmscheduler from /etc/init.d
Remove shortcut /usr/share/applications/obm.desktop
Remove shortcut /root/Desktop/obm.desktop
Ahsay Online Backup Manager uninstall procedure is complete!
It is now safe to remove files from /usr/local/obm

# cd /usr/local
# rm -fr /usr/local/obm
```

Appendix F Uninstall AhsayOBM (dpkg)

To uninstall AhsayOBM on Ubuntu use the `dpkg -r obm` command to uninstall and the remaining AhsayOBM machine.

```
# dpkg -r obm
(Reading database ... 404398 files and directories currently installed.)
Removing obm (7.14.1.0) ...
Log Time: Fri Sep 1 17:30:29 HKT 2017

Verifying current user privilege ...
Current user has enough privilege to "uninstall".

Uninstall Ahsay Online Backup Manager from /usr/local/obm

Shutting down Scheduler
Wait 5 seconds before Scheduler exits
Kill running Ahsay Online Backup Manager
Kill Process by Image Name: /usr/local/obm/jvm/bin/bJW
Ignore Process by Image Name:
Kill Process by Image Name: /usr/local/obm/jvm/bin/bschJW
Ignore Process by Image Name:
Kill Process by Image Name: /usr/local/obm/jvm/bin/java
Ignore Process by Image Name:
Removing Scheduler script obmscheduler from service
Uninstall Service for NIX type OS
Using init script path /etc/init.d
Using run level script path /etc
Removing symbolic link from run levels
Removing script file obmscheduler from /etc/init.d
Remove shortcut /usr/share/applications/obm.desktop
Ahsay Online Backup Manager uninstall procedure is complete!
It is now safe to remove files from /usr/local/obm
    Remove files in /usr/local/obm

# cd /usr/local
# rm -fr /usr/local/obm
```

Appendix G Handling of Non-regular Files

The following non-regular files/folders such as device files, block files, virtual files systems, pseudo file systems etc will be automatically ignored if selected for backup. Backup log entries of these files/folders will not appear in the backup logs.

Example:

/proc
/dev
/sys
/run

For AhsayOBM installations on Linux GUI, these devices will not be shown on the backup source screen.

Appendix H How to Change Ownership of a Backup Set

Backup sets may be transferred from one computer to another by a simple export and import of the BackupSet.xml file provided that the following requirements are met:

1. AhsayOBM version must be the same or a newer version.
2. Both computers are on similar operating system platforms (i.e. both on Linux)

An example of this is backup set “b1” was originally created on a Linux machine “centos7” is transferred to another Linux machine “centos65”. In order to do this, follow the instructions below to change ownership of a backup set:

1. Login to the AhsayOBM Linux machine where you intend to transfer the ownership of the backup set to using root.

```
login as: root
root@10.90.30.2's password:
Last login: Wed Jul 31 09:43:09 2019 from 192.168.12.1
[root@centos65 ~]#
```

2. Change directory by using the command **cd /usr/local/obm/bin**. Then run “**sh RunConfigurator.sh**”. Login by selecting **(1). Login**.

```
[root@centos65 bin]# cd /usr/local/obm/bin
[root@centos65 bin]# sh RunConfigurator.sh
Startup Ahsay Online Backup Manager ...
Config file found

Login Menu
-----
(1). Login
(2). Change Network Settings
(3). Forgot Password
(4). Quit
-----
Your Choice: 1
```

3. Enter your Login Name and Password.

```
Login Name : LinuxTest
Password : *****

Please wait while verifying user account with server...
log4j:WARN No appenders could be found for logger
(org.apache.http.impl.conn.PoolingClientConnectionManager).
log4j:WARN Please initialize the log4j system properly.
log4j:WARN See
http://logging.apache.org/log4j/1.2/faq.html#noconfig for more
info.
Your profile has been downloaded and updated.

Main Menu
-----
```

```

(1). List Backup Sets
(2). Delete Backup Set
(3). Export Backup Set Settings to XML
(4). Import Backup Set Settings from XML
(5). Generate new Backup Set Settings Template
(6). Change Language [English]
(7). Update Profile Settings
(8). Quit

```

Your Choice:

4. Select **(3). Export Backup Set Settings to XML**, to export backup set setting to xml. Choose the backup set to be exported. Enter **y** to enter the encryption key. Enter your encryption key twice to export the backup set settings.

```
Choose your backup set to generate XML file
```

```
-----
(1). b1
-----
```

Your Choice: 1

```
Update encryption key for backup set "b1"
```

```
Do you want to enter the encryption key for this backup set?
```

```
(Y/N) ? y
```

```
Enter encryption key : *****
```

```
Re-enter encryption key : *****
```

```
XML file successfully exported to
```

```
/root/.obm/config/backupSet.xml
```

Note: The step to enter the encryption key will only be displayed if the backup set have an encryption key defined.

5. Modify **/root/.obm/config/backupSet.xml** in a text editor like vi. Change the Value data under **"Schedule Settings"** and save. If Value data is "Y" change it to "N", if "N" then change to "Y".

```

<Key name="Schedule Settings">
    <!-- Enable scheduled backup on this computer -->
    <!-- Y: Yes -->
    <!-- N: No -->
    <Value data="Y" name="Enable" type="boolean" />

```

6. Select **(4). Import Backup Set Settings from XML**, to import backup set settings from xml.

```
Main Menu
```

```

-----
(1). List Backup Sets
(2). Delete Backup Set
(3). Export Backup Set Settings to XML
(4). Import Backup Set Settings from XML
(5). Generate new Backup Set Settings Template
(6). Change Language [English]
(7). Update Profile Settings
(8). Quit

```

Your Choice: 4

7. In the prompt, enter **y** to take ownership of the backup set. Also confirm overwrite by entering **y**. Then list backup set by selecting **(1). List Backup Sets** to verify that the ownership of the backup set has been changed to the new owner.

```
The backup set "b1" is owned by "centos7", do you want to take
the ownership? (Y/N) ? y
Backup Set 'b1' already exist. Confirm overwrite? (Y/N) ? y
XML imported, uploading to server...

XML successfully uploaded to server

Main Menu
-----
(1). List Backup Sets
(2). Delete Backup Set
(3). Export Backup Set Settings to XML
(4). Import Backup Set Settings from XML
(5). Generate new Backup Set Settings Template
(6). Change Language [English]
(7). Update Profile Settings
(8). Quit
-----
Your Choice: 1

Select a Backup Set to show more details
-----
(1). b1
-----
Your Choice: 1

Name                : b1
Owner               : Centos65
Type                : FILE
Selected Source     : /root/Documents
Encryption Key      : abc123$%
Encryption Algorithm : AES
Encryption Mode      : CBC
Encryption Key Length: 256

Press Enter to continue...
```

8. Modify **/root/.obm/config/backupSet.xml** and change the value data of **“Schedule Settings”** back to its original value and save. If Value data is **“N”** change it to **“Y”**, if **“Y”** then change to **“N”**.

```
<Key name="Schedule Settings">
    <!-- Enable scheduled backup on this computer -->
    <!-- Y: Yes -->
    <!-- N: No -->
    <Value data="N" name="Enable" type="boolean" />
```

9. Import the BackupSet.xml again for the scheduled backup to take effect. Since in the example the scheduled backup was disabled before changing the ownership, so afterwards the scheduled backup must be enabled again for it to run on schedule. Select **(4). Import Backup Set Settings from XML**, then **y** to confirm overwrite.

```
Main Menu
-----
(1). List Backup Sets
(2). Delete Backup Set
(3). Export Backup Set Settings to XML
(4). Import Backup Set Settings from XML
(5). Generate new Backup Set Settings Template
(6). Change Language [English]
(7). Update Profile Settings
(8). Quit
-----
Your Choice: 4

Backup Set 'b1' already exist. Confirm overwrite? (Y/N) ? y
XML imported, uploading to server...

XML successfully uploaded to server
```